

NAVY TRAINING SYSTEM PLAN
FOR THE
JOINT HELMET MOUNTED
CUEING SYSTEM

N78-NTSP-A-50-0103/D

MAY 2002

JOINT HELMET MOUNTED CUEING SYSTEM

EXECUTIVE SUMMARY

This Navy Training System Plan for the Joint Helmet Mounted Cueing System (JHMCS) provides an estimate of manpower, personnel, and training requirements to support the employment concept developed for the JHMCS. The JHMCS program is an Acquisition Category III, Joint USN/USAF program with the USAF as the Lead Executive Service. The program is currently in the Production and Deployment phase of the Defense Acquisition System (DAS). Contact Naval Air Systems Command, Program Manager Air (PMA) 202D for information regarding Initial Operational Capability (IOC).

The JHMCS is a helmet mounted cueing and display system which, in conjunction with the AIM-9X Sidewinder missile system, provides a high off-boresight capability for United States Navy (USN) and United States Air Force (USAF) tactical fighter aircraft. This capability gives the warfighter first-look, first-shot, air-to-air, and air-to-ground weapons and sensor cueing that allows eyes out of the cockpit targeting within the visual range arena. The JHMCS has produced major improvements in Pilot situational awareness, with good overall system accuracy, faster target acquisition, and less exposure time.

The JHMCS is currently being developed and planned for integration with the F/A-18E/F and the F-15 with Boeing as the prime contractor, and the F-16 and F-22 with Lockheed Martin. System integration with the F/A-18C/D is projected to be part of an Operational Safety Improvement Program beginning in FY04. Vision Systems International is the development subcontractor.

The JHMCS will have a two-level maintenance concept with minimal intermediate level work-request maintenance. Navy Aircrew Survival Equipmentmen (PR), Aviation Structural Mechanics (Egress) (AME) with Navy Enlisted Classification (NEC) 8341/8841, and Aviation Electronics Technicians (AT) with NEC 8341/8841 will maintain the JHMCS. Based on the operation and maintenance concepts explained herein, it is estimated the JHMCS will not increase or decrease existing F/A-18 manpower levels for the AME and AT ratings; however, additional PR manning is projected to be required. JHMCS will be operated by the Pilots of the respective aircraft.

The JHMCS training program will consist of initial and follow-on training for operator and maintenance personnel. Fleet Air Introduction/Liaison Survival Aircrew Flight Equipment Team and the prime contractor will provide initial operator, maintenance, and cadre training. Pilot training for the JHMCS will be integrated into the existing follow-on Pilot training syllabus of the F/A-18. Maintenance training for AMEs and ATs will be integrated into the existing follow-on Naval Aviation Maintenance Training Unit (NAMTRAU) courses. Follow-on maintenance training for PRs will be integrated into the existing PR Class A1 course at the Naval Air Technical Training Center.

JOINT HELMET MOUNTED CUEING SYSTEM

TABLE OF CONTENTS

	Page	
Executive Summary.....	i	
List of Acronyms.....	iii	
Preface.....	vi	
 PART I - TECHNICAL PROGRAM DATA		
A. Nomenclature-Title-Program.....	I-1	
B. Security Classification	I-1	
C. Manpower, Personnel, and Training Principals.....	I-1	
D. System Description.....	I-1	
E. Developmental Test and Operational Test.....	I-2	
F. Aircraft and/or Equipment/System/Subsystem Replaced	I-2	
G. Description of New Development	I-2	
H. Concepts	I-8	
1. Operational	I-8	
2. Maintenance.....	I-8	
3. Manning.....	I-12	
4. Training	I-14	
I. Onboard (In-Service) Training.....	I-22	
J. Logistics Support	I-23	
K. Schedules	I-27	
L. Government-Furnished Equipment and Contractor-Furnished Equipment Training Requirements.....	I-29	
M. Related NTSPs and Other Applicable Documents	I-29	
 PART II - BILLET AND PERSONNEL REQUIREMENTS		II-1
 PART III - TRAINING REQUIREMENTS.....		III-1
 PART IV - TRAINING LOGISTICS SUPPORT REQUIREMENTS.....		IV-1
 PART V - MPT MILESTONES.....		V-1
 PART VI - DECISION ITEMS/ACTION REQUIRED		VI-1
 PART VII - POINTS OF CONTACT		VII-1

JOINT HELMET MOUNTED CUEING SYSTEM

LIST OF ACRONYMS

ABC	Automatic Brightness Control
AE	Aviation Electrician's Mate
AIMD	Aircraft Intermediate Maintenance Department
ALSS	Aviation Life Support Systems
AME	Aviation Structural Mechanic (Safety Equipment)
AMTCS	Aviation Maintenance Training Continuum System
AOB	Average Onboard
AT	Aviation Electronics Technician
BIT	Built-In Test
CAI	Computer-Aided Instruction
CEST	Classroom Explosive Ordnance Disposal System Trainer
CMI	Computer-Managed Instruction
CNO	Chief of Naval Operations
CP	Control Panel
CRT	Cathode Ray Tube
CU	Cockpit Unit
DT	Developmental Test
DU	Display Unit
EEPROM	Electrical Erasable Programmable Read-Only Memory
EU	Electronics Unit
FAILSAFE	Fleet Air Introduction/Liaison Survival Aircrew Flight Equipment
FEA	Front End Analysis
FMS	Foreign Military Sales
FOT&E	Follow-on Operational Test and Evaluation
FRS	Fleet Readiness Squadron
FY	Fiscal Year
HDU	Helmet Display Unit
HMD	Helmet Mounted Display
HMDTS	Helmet Mounted Display Test Set
HRC	Helmet Release Connector

JOINT HELMET MOUNTED CUEING SYSTEM

LIST OF ACRONYMS

HVI	Helmet Vehicle Interface
IETM	Interactive Electronic Technical Manual
IOC	Initial Operational Capability
IRC	In-Line Release Connector
JHMCS	Joint Helmet Mounted Cueing System
LOS	Line-of-Sight
LRIP	Low Rate Initial Production
MRU	Magnetic Receiver Unit
MSD	Material Support Date
MTS	Maintenance Trainer Set
MTU	Maintenance Training Unit
NAMP	Naval Aviation Maintenance Program
NAMTRAU	Naval Air Maintenance Training Unit
NAS	Naval Air Station
NAVAIR	Naval Air Systems Command
NAVAIRSYSCOM	Naval Air Systems Command
NAVAIRWARCENWPNDIV	Naval Air Warfare Center Weapons Division
NAVICP	Naval Inventory Control Point
NEC	Navy Enlisted Classification
NSAWC	Naval Strike Air Warfare Center
NTSP	Navy Training System Plan
NVG	Night Vision Goggles
NWTS	Naval Weapons Test Squadron
OA	Operational Assessment
OJT	On-the-Job Training
OPNAV	Office of the Chief of Naval Operations
OPO	OPNAV Principal Official
ORD	Operational Requirements Document
OSIP	Operational Safety Improvement Program
OT&E	Operational Test and Evaluation
PC	Personal Computer

JOINT HELMET MOUNTED CUEING SYSTEM

LIST OF ACRONYMS

PMA	Program Manager, Air
PMD	Program Management Directive
PR	Aircrew Survival Equipmentman
QDC	Quick Disconnect
RFOU	Ready For Operational Use
SE	Support Equipment
SFTI	Strike Fighter Tactics Instructor
SPS	Seat Position Sensor
TBD	To Be Determined
USAF	United States Air Force
USN	United States Navy
WRA	Weapon Replaceable Assembly
VFA	Strike Fighter Squadron
VX	Air Test and Evaluation Squadron

JOINT HELMET MOUNTED CUEING SYSTEM

PREFACE

This Draft Navy Training System Plan (NTSP) updates the Initial NTSP for the Joint Helmet Mounted Cueing System (JHMCS), N78-NTSP-A-50-0103/I, dated August 2001. This NTSP was developed by Naval Air Systems Command (AIR 3.4.1) and complies with guidelines set forth in the Navy Training Requirements Documentation Manual, Office of the Chief of Naval Operations (OPNAV) Publication P-751-1-9-97.

This document incorporates some definitive data that was previously unavailable for inclusion in the Initial version. As the first iteration of the seven-part NTSP, it includes the final course descriptions, updated schedules, and attendance requirements for the JHMCS initial training curriculum, latest component delivery schedule, billet and personnel requirements, training logistics support requirements, program milestones, decision and action items, and a current points of contact listing.

PART I - TECHNICAL PROGRAM DATA

A. NOMENCLATURE-TITLE-PROGRAM

- 1. Nomenclature-Title-Acronym.** Joint Helmet Mounted Cueing System (JHMCS)
- 2. Program Element.** 0604264N

B. SECURITY CLASSIFICATION

- 1. System Characteristics** Unclassified
- 2. Capabilities** Unclassified
- 3. Functions**..... Unclassified

C. MANPOWER, PERSONNEL, AND TRAINING PRINCIPALS

- OPNAV Principal Official (OPO) Program Sponsor..... CNO (N780C9)
- OPO Resource Sponsor CNO (N78)
- Functional Mission Sponsor CNO (N780C)
- Developing Agency..... NAVAIRSYSCOM (PMA202)
- Training Agency CINCLANTFLT
CINCPACFLT
CNET
- Training Support Agency NAVAIRSYSCOM (PMA205)
- Manpower and Personnel Mission Sponsor CNO (N12)
NAVPERSOM (PERS-4, PERS-404)
- Director of Naval Training CNO (N795)

D. SYSTEM DESCRIPTION

1. Operational Uses. The JHMCS is a helmet mounted cueing and display system which, in conjunction with the AIM-9X Sidewinder missile system, provides a high off-boresight capability for United States Navy (USN) and United States Air Force (USAF) tactical fighter aircraft. This capability gives the warfighter first-look, first-shot, air-to-air, and air-to-ground

weapons and sensor cueing that allows eyes out of the cockpit targeting within the visual range arena. The JHMCS has produced major improvements in Pilot situational awareness with good overall system accuracy, faster target acquisition, and less exposure time.

2. Foreign Military Sales. JHMCS will be made available for Foreign Military Sales (FMS). All current and future FMS users of the F/A-18 are potential users of the JHMCS. Contact Naval Air Systems Command (NAVAIRSYSCOM) Program Manager, Air (PMA) 202D for further information regarding FMS.

E. DEVELOPMENTAL TEST AND OPERATIONAL TEST. Developmental Test (DT) using an F/A-18C was conducted in October 1998, and Operational Test (OT) was conducted in August 1999 in conjunction with the AIM-9X Missile OT-IIA. Initial Operational Assessment (OA) was completed in January 2000 and was conducted at the Naval Air Warfare Center Weapons Division (NAVAIRWARCENWPNDIV) China Lake, California, by Air Test and Evaluation Squadron (VX-9). The JHMCS was found to be potentially operationally effective, but potentially not operationally suitable due to low reliability issues with the In-Line Release Connector (IRC).

The first series of DT and OT using the F/A-18E/F began in February 2001 at Naval Weapons Test Squadron (NWTS), NAVAIRWARCENWPNDIV China Lake, and Naval Air Warfare Center Aircraft Division (NAVAIRWARCENACDIV), Patuxent River, Maryland. Operational Test and Evaluation (OT&E) began in October 2001, and is being conducted concurrent with F/A-18E/F Follow-on Operational Test and Evaluation (FOT&E)-1. Results of ongoing testing will be incorporated into future updates to this NTSP.


F. AIRCRAFT AND/OR EQUIPMENT/SYSTEM/SUBSYSTEM REPLACED. No existing weapon system, equipment, or program is being replaced by the JHMCS.

G. DESCRIPTION OF NEW DEVELOPMENT

1. Functional Description. The JHMCS is a display system used to display cueing symbology for navigation, weapons, and sensors at high off-boresight angles. The JHMCS is comprised of the following components:

- Helmet Display Unit (HDU)
- Helmet Vehicle Interface (HVI)
- Electronics Unit (EU)
- Cockpit Unit (CU)
- Magnetic Transmitter Unit
- Control Panel (CP)
- Seat Position Sensor (SPS)

Each of these Weapon Replaceable Assemblies (WRA) is described below.



a. **Helmet Display Unit.** The HDU is the complete assembly that is made up of the following components:

- Cathode Ray Tube (CRT) Assembly
- Relay Optics Assembly
- Magnetic Receiver Unit (MRU)
- Camera
- Automatic Brightness Control (ABC) Sensor
- Up-Look Reticles (Puppers)
- Visor Assembly
- Universal Connector



The HDU is connected to the helmet shell through a universal connector, and has a built-in hinge pivot that allows symbology to be projected onto the Pilot's visor and fold clear of the visor assembly when the visor is retracted.

(1) **Cathode Ray Tube Assembly.** The CRT provides the various symbology to be projected onto the visor assembly over the Pilot's right eye. The CRT incorporates a lightweight housing that attaches to the Relay Optics Assembly using a quarter-

turn locking flange. A CRT Electrical Erasable Programmable Read-Only Memory (EEPROM) and a CRT make up the remainder of the CRT assembly. The CRT EEPROM contains the serial number, elapsed time, fault log, and electron beam correction data. Each of these components is permanently bonded to the overall CRT assembly. The CRT assembly has one electrical connector and weighs 2.3 ounces.

(2) Relay Optics Assembly. The Relay Optics Assembly contains four lenses and two mirrors within a lightweight plastic housing. It provides the optical transmission of the symbology image produced by the CRT assembly onto the visor assembly.

(3) Magnetic Receiver Unit. The MRU is a miniature version of the Magnetic Transmitter Unit. The MRU receives the transmitted magnetic signal from the Magnetic Transmitter Unit and provides a signal to the electronics unit Line-of-Sight (LOS) module. The signal is used to determine the LOS and position of the Pilot's head. It contains three coils that represent the X, Y, and Z axes of the system.

(4) Camera. The Camera is monochromatic with the same 20° field-of-view as the HDU. A video signal is transmitted between the EU and the Camera by way of the HVI. The EU combines the Camera image (Pilot's view) with the displayed symbology for recording purposes.

(5) Automatic Brightness Control Sensor. The ABC Sensor senses ambient light and adjusts the CRT brightness to maintain a constant display contrast ratio.

(6) Up-Look Reticles. The Up-Look Reticle assemblies provide a pair of symbols known as "puppers". When selected, using Hands On Throttle And Stick (HOTAS), the puppers are used for high off-boresight targeting. The Up-Look Reticles are not adjustable, and the reticle projected is 27.5° above and 30° left or right of the eye.

(7) Visor Assembly. The Visor Assembly provides two functions. First, it provides the Pilot with protection from the sun and wind. Second, it provides a surface for symbology to be presented. The Visor can be rotated back over the top portion of the helmet. A locking device is used in both the retracted and deployed Visor positions to make sure the Visor does not move.

(8) Universal Connector. The Universal Connector allows the HDU to be removed from the helmet, and provides a means to attach non-JHMCS visors and Night Vision Goggles (NVG) to the helmet system. The Universal Connector does not make provision for combined, simultaneous HDU and NVG use.



b. Helmet Vehicle Interface. The HVI provides the electrical cabling between the aircraft avionics and the helmet, and is divided into two segments, the Upper and Lower HVIs. The voltages and electronic signals required for HDU operation pass through this cable. The Upper HVI is routed through the helmet and terminates at the Quick Disconnect Connector (QDC), which provides the interface between the Pilot and the aircraft. The Upper HVI contains

the Universal Connector, the Helmet Release Connector (HRC), and the top half of the hip-mounted QDC. The Lower HVI is mounted in the aircraft to the Pilot's left and provides the interface between the QDC and the CU/EU. The Lower HVI contains the bottom half of the QDC and the IRC. A stowage bracket is also installed in the aircraft to provide stowage of the Lower HVI QDC when it is not mated with the Upper HVI.

(1) Helmet Release Connector. The HRC provides a one-time disconnect break point that allows the helmet to leave the Pilot's head cleanly in the event of helmet loss during ejection.

(2) Quick Disconnect Connector. The QDC is the daily use connector and provides the primary disconnect during ejection or emergency ground egress. A lanyard mounted to the aircraft disengages the QDC locking mechanism during ejection or emergency ground egress.

(3) Quick-Release Mounting Bracket. The Quick-Release Mounting Bracket (QMB) is attached to the pilot's torso harness to absorb the shock load produced by the Upper HVI disconnecting from the Lower HVI at the QDC during ejection and egress instead of imparting the load to the Pilot's head or neck. It includes a low intensity magnet that activates a switch in the QDC providing a confirmation Built-in Test (BIT) on the pilot's display when the QDC is properly seated in the QMB.




(4) Inline Release Connector. The IRC is located on the left-hand console, and provides a one-time back up disconnect should the QDC fail to release during an ejection.

c. Electronics Unit. The EU consists of four unique electronic cards (power supply, line-of-sight module, graphics processor/display driver, and central processor cards). The Mission Computer interfaces with the EU via the mux bus. The EU is installed in the 3C Equipment Bay for the single-seat aircraft and the left-hand console of the aft seat for the two-seat aircraft.

d. Cockpit Unit. The CU consists of a High Voltage Power Supply that generates the high voltage power needed for the CRT display in the HDU.

e. Magnetic Transmitter Unit. The Magnetic Transmitter Unit generates an Alternating Current magnetic field in the cockpit. The Magnetic Transmitter Unit is mounted on the canopy sill of the aircraft. The MRU in the HDU receives the magnetic field produced by the Magnetic Transmitter Unit. The MRU then passes the received signal to the EU to determine the helmet position and orientation in the cockpit.

The JHMCS Cockpit Mapper maps the cockpit magnetic characteristics during installation or subsequent maintenance action, and the resulting cockpit magnetic map is stored in the Magnetic Transmitter Unit and EU. Each cockpit magnetic map is unique to that individual aircraft. Relocating or removing metal from the cockpit changes the cockpit magnetic field and may impact the accuracy of the Helmet Mounted Display (HMD). Pilot equipment (including sidarm) does not impact accuracy due to the location of the equipment relative to the tracker.



f. Magnetic Transmitter Unit Support. The Magnetic Transmitter Unit Support provides a stable non-metallic platform to attach the Magnetic Transmitter Unit to the canopy rail.

g. Control Panel. The CP provides On-Off and Brightness control of the JHMCS. The brightness knob replaces the Map Gain knob on the spin recovery panel for the Radar set. The CP light plate is also replaced to correctly label the HMD brightness knob.

h. Seat Position Sensor. The SPS is a small WRA mounted to the ejection seat bucket. This sensor provides the JHMCS with a reference of seat position to determine helmet position within the cockpit. Removal of the ejection seat bucket is required to remove and replace the SPS.

i. HGU-55A/P Modified Helmet Shell. The lightweight configuration of the HGU-55 Type Helmet provides the mounting platform for the HMD and protects the Pilot from high impact and wind loads during ejection and egress. The helmet follows basic HGU-55 design, but is constructed of aramid and carbon fiber. It also includes an integrated chin and nape strap assembly and occipital bladder for Combat Edge compatibility. Modifications also include a cutout for the Universal Connector in the top front of the helmet, and a modified nape to accommodate the Upper HVI cable entrance.

j. Oregon Aero Aviation Helmet Upgrade Kit. The Oregon Aero Aviation Helmet Upgrade Kit includes the ZetaLiner™ Helmet Liner, SoftSeal™ Ear Cushions, Softskin™ Ear Seal Covers, and HushKit™ Passive Earcup Noise Attenuation Foam. The ZetaLiner™ Helmet Liner provides significant improvement in impact energy absorption and is lighter than other approved liners for the HGU-55A/P. Testing during OT showed significant improvements in overall helmet comfort and fitting.

The ZetaLiner™ Helmet Liner is composed of Confor™ foam sewn into cool, washable, wear-resistant fabric. The SoftSeal™ Ear Cushions are composed of Confor™ foam core and covered with washable synthetic leather. The HushKit™ Passive Earcup Noise Attenuation Foam improves noise attenuation and intelligibility and is most effective in the 2000-6000 Hertz range.

2. Physical Description. The following table describes the physical characteristics of the major components of the JHMCS.

COMPONENT	DIMENSIONS	WEIGHT
Assembled Display Unit	9.500" x 5.850" x 5.080"	≤ 600 g
Cockpit Unit	5.620" x 5.000" x 2.094"	≤ 3.500 lbs.
Magnetic Transmitter Unit (length only)	305 mm / 115 ± 5 mm / 254 mm (674 ± 5 mm overall)	≤ 0.350 kg
Electronics Unit	10.150" x 7.000" x 5.290"	≤ 16.300 lbs.

3. New Development Introduction. The JHMCS is being included in 548 F/A-18E/F Aircraft. Lot 24 and subsequent will be forward fit at the Boeing assembly line. Lot 23 is being delivered with provisions for the JHMCS. Lots 21 and 22 may be part of a future retrofit program, with the date to be determined. Current planning calls for the F/A-18C/D to be part of an Operational Safety Improvement Program (OSIP) beginning in Fiscal Year (FY) 04. The Type Commander will deliver aircrew helmet components to the operational squadrons. Contact the Deputy Assistant Program Manager for Logistics (AIR 3.1.4.3) for further information regarding retrofit programs.

Contact NAVAIRSYSCOM (PMA202D) for information regarding Initial Operational Capability (IOC). IOC will be achieved with the first F/A-18E/F Lot 24 deployment.

4. Significant Interfaces. The JHMCS provides off-boresight cueing of weapons and sensors in Air-to-Air and Air-to-Ground modes. The system interfaces with the aircraft to provide the Pilot with the capability to visually cue weapons and sensors to the helmet LOS. Feedback of the weapon and/or sensor line-of-sight is also provided for target verification. Aircraft state information such as altitude and airspeed is also provided. Specific F/A-18E/F weapons, systems, and equipment that JHMCS interfaces with are as follows:

- AIM-9X
- Cockpit Video Recording System (CVRS)
- Mission Computer System
- Stores Management System
- AN/APG-73 Radar
- ALR-67(V) Radar Warning Receiver
- NACES Ejection Seat
- Advanced Tactical Forward Looking Infra Red
- AN/AVS-9 Night Vision Goggles
- Existing and Future Laser Eye Protective Devices
- Navy Combat Edge Anti-Gravity Flight Ensemble

- MBU-24/P22P-16 Enhanced Pressure-Demand Oxygen Mask
- PCU-56/P Series Parachute Restraint Harness Assembly

5. New Features, Configurations, or Material. JHMCS represents significant advances in weapon system targeting technology, and capitalizes on advances in electronic miniaturization, magnetic resonance technology, and head-up display optical imaging.

H. CONCEPTS

1. Operational Concept. The JHMCS provides air-to-air and air-to-ground weapons and sensor cueing that allows eyes out of the cockpit targeting within the visual range arena. The current deployment concept calls for Pilot operation only in the Navy F/A-18E/F. However, the JHMCS design provides for future inclusion of two-seat integration and operations on F/A-18F. The operational concept for the F/A-18C/D OSIP mirrors the F/A-18E/F.

2. Maintenance Concept. General direction and guidance concerning the maintenance concept for the JHMCS is provided by the established Naval Aviation Maintenance Program (NAMP), Office of the Chief of Naval Operations Instruction (OPNAVINST) 4790.2 series. The NAMP prescribes the concept of three levels of maintenance: organizational, intermediate, and depot. The NAMP also prescribes the classification of maintenance requirements for functional complexity, assignment to the maintenance level that has the resources to effectively and economically accomplish the maintenance action, and an organizational structure for the collection of data for program management.

Interim maintenance will be required until Navy organic support is fully achieved. The JHMCS is primarily designed on an organizational to depot level maintenance concept, with minimal intermediate level maintenance capability. Aviation Electronics Technician (AT) and Aviation Structural Mechanic (Safety Equipment) (AME) personnel with Navy Enlisted Classification (NEC) 8841 or 8341 are required for JHMCS on-aircraft organizational level maintenance. Aircrew Survival Equipmentman (PR) personnel are required for JHMCS off-aircraft (aircrew equipment) organizational level maintenance. The maintenance concept for the F/A-18C/D OSIP mirrors the F/A-18E/F.

Organizational, intermediate, and depot level maintenance responsibilities vary according to component, and are as listed in the following table.

TASK or WRA COMPONENT	MAINTENANCE LEVEL	MAINTENANCE REQUIREMENTS	RATING
HDU	Organizational	<ul style="list-style-type: none"> ◦ Fault isolate to defective components ◦ Remove and replace defective components ◦ Align to Pilot's eye 	PR

TASK or WRA COMPONENT	MAINTENANCE LEVEL	MAINTENANCE REQUIREMENTS	RATING
	Depot	<ul style="list-style-type: none"> ◦ Remove and replace, repair, or dispose of defective component 	NA
Visor	Organizational	<ul style="list-style-type: none"> ◦ Custom fit to Pilot ◦ Remove, replace, and discard defective component 	PR
Upper and Lower HVI	Organizational	<ul style="list-style-type: none"> ◦ Fault isolate to defective cable and/or component ◦ Remove and replace defective cable and/or component 	AT
	Depot	<ul style="list-style-type: none"> ◦ Repair or dispose of defective cable 	NA
EU	Organizational	<ul style="list-style-type: none"> ◦ Fault isolate to defective component using BIT ◦ Remove and replace defective component 	AT
	Depot	<ul style="list-style-type: none"> ◦ Repair or dispose of defective component 	NA
CU	Organizational	<ul style="list-style-type: none"> ◦ Fault isolate to defective component using BIT ◦ Remove and replace defective component 	AT
	Depot	<ul style="list-style-type: none"> ◦ Repair or dispose of defective component 	NA
Magnetic Transmitter Unit	Organizational	<ul style="list-style-type: none"> ◦ Fault isolate to defective component using BIT ◦ Remove, replace, and discard defective component 	AT
Magnetic Transmitter Unit Support	Organizational	<ul style="list-style-type: none"> ◦ Visually fault isolate to defective component ◦ Remove, replace, and discard defective component 	AT

TASK or WRA COMPONENT	MAINTENANCE LEVEL	MAINTENANCE REQUIREMENTS	RATING
CP	Organizational	<ul style="list-style-type: none"> ◦ Visually fault isolate to defective component ◦ Remove, replace, and discard defective component 	AT
SPS	Organizational	<ul style="list-style-type: none"> ◦ Fault isolate to defective component using BIT ◦ Remove, replace, and discard defective component 	AT AME (Assist)
CRT	Organizational	◦ Fault isolate to defective component	PR
	Intermediate	◦ Remove, replace, and discard defective component (assist on Work Request)	AT
Relay Optics Assembly	Organizational	◦ Fault isolate to defective component	PR
	Intermediate	◦ Purge using dry nitrogen	AT
	Depot	◦ Remove from HDU and replace, repair, or dispose of defective component	NA
MRU	Organizational	◦ Fault isolate to defective component	PR
	Depot	◦ Remove from HDU and replace, repair, or dispose of defective component	NA
Camera	Organizational	◦ Fault isolate to defective component	PR
	Depot	◦ Remove from HDU and replace, repair, or dispose of defective component	NA
Cockpit Mapping	Organizational	◦ Prepare aircraft for mapping procedure	Multiple
	Onsite Depot	◦ Conduct mapping of aircraft cockpit	NA
HGU-55A/P Helmet Shell	Organizational	<ul style="list-style-type: none"> ◦ Custom fit to Pilot ◦ Assemble component pieces ◦ Fault isolate to defective components ◦ Remove, replace, and discard defective component 	PR

a. Organizational. The operating squadron performs JHMCS organizational level maintenance daily in support of its own operation. These actions encompass inspections, build-up, and fitting of aircrew equipment, handling, performance verification testing, and fault isolation to the defective WRA, and removal and replacement of WRAs or major aircraft components.

Additionally, the JHMCS has self-test capability and diagnostic capability with BIT functions in the aircraft components, as well as a stand-alone in-shop external test set. The stand-alone Helmet Mounted Display Test Set (HMDTS) is designed to verify the functionality of the JHMCS HMD during pre-operational checks, and operates in conjunction with a Personal Computer (PC) compatible desktop or laptop computer. In addition to running BIT, it also contains a Liquid Crystal Display (LCD) monitor for real-time verification of helmet camera operation.

(1) Preventive Maintenance. Preventive maintenance consists of pre-operational testing, and removal and replacement of the Upper HVI and QDC grommets every 90 days, using standard hand tools and special contractor provided tools.

(2) Corrective Maintenance. Organizational level personnel use BIT for primary fault isolation to a WRA. Faulty WRAs are removed and replaced using standard hand tools and special contractor provided tools. Some larger WRAs and components (i.e., ejection seat, canopy, etc.) that interface with the JHMCS require the use of non-complex Support Equipment (SE). The faulty WRAs and components are then forwarded to the supporting Aircraft Intermediate Maintenance Department (AIMD) or contractor depot for repair.

(3) Initial or Replacement Issue Maintenance. Initial or replacement issue maintenance consists of the initial build-up assembly, fitting, and incorporation of technical directives during initial or replacement issue of aircrew equipment components. Squadron PRs perform initial or replacement issue maintenance using standard and special hand tools, shop equipment, and non-complex SE, calipers, and locally manufactured alignment tools.

b. Intermediate. JHMCS intermediate level maintenance actions performed in support of organizational activities by AIMD include purging of the Relay Optics Assembly, and electromagnetic mapping of the cockpit area following aircraft canopy removal and replacement. Personnel in the Aviation Electrician's Mate (AE) or AT ratings in the 600 Division work center with night vision system capability will perform Relay Optics Assembly purging on a work request from the squadron. Additionally, AT personnel in the 600 Division will perform CRT removal and replacement installation on a work request from the squadron due to Electronic Sensitive Device considerations.

c. Depot. The depot level of maintenance supports lower levels of maintenance by providing logistics and engineering assistance, and performing maintenance that is beyond the capability of the lower level activities. The manufacturer will provide depot services and accomplish depot level maintenance during the Interim Maintenance period. The Joint Organic Depot for the JHMCS is scheduled to open in FY07.

JHMCS depot level maintenance actions performed in support of organizational activities include electromagnetic mapping of the cockpit area following aircraft canopy removal and replacement. The cockpit mapping requires that the aircraft be leveled. The procedure is primarily performed ashore due to the intricacies of the Cockpit Mapper equipment and criticality of the aircraft set-up. However, a test aircraft was successfully mapped aboard ship during OT&E. Current planning is for the Cockpit Mapper and required common support equipment to be pre-positioned at the following select shore stations:

- Naval Air Station (NAS) Lemoore, California
- NAS North Island, California
- NAS Oceana, Virginia
- Naval Station Rota, Spain
- NAS Sigonella, Sicily
- Naval Air Facility Atsugi, Japan

Final selection of shore facilities and placement of required support equipment will be accomplished with the concurrence of the TYCOMs. Depot personnel will perform cockpit mapping on a work request from the squadron. Squadron personnel will provide aircraft preparation set-up and disassembly assistance, including aircraft jacking. Contact Naval Aviation Depot (NADEP) North Island (45500) for more information regarding the cockpit mapping procedure.

d. Interim Maintenance. A five-year interim support period has been established for the JHMCS since September 2001. During this period, discrepant WRAs identified by the squadron will be returned to the vendor for repair. Interim support will continue until full Navy organic support is achieved with the establishment of the Joint Organic Depot. The Navy Material Support Date (MSD) is anticipated in fourth quarter FY04.

e. Life Cycle Maintenance Plan. NA

3. Manning Concept. The introduction of JHMCS into the Navy inventory will not increase or decrease existing F/A-18 manpower levels for the AME and AT ratings; however, additional PR manning will be required. A manpower analysis was initially conducted in March 2000 by the NAVAIRSYSCOM (AIR 3.4.1) and updated in March 2001. Factors governing the manpower requirements for the JHMCS include maintenance task length in man-hours, task frequency, and number of aircrew and aircraft per squadron. Incorporating the JHMCS for the Weapon System Operator in dual-seat aircraft would be an additional factor involved in manpower requirements for future applications. Tasking considered in the manpower analysis only include those tasks that represent additional tasking beyond current squadron workload.

Specific maintenance requirements identified in the manpower analysis having potential for significant manpower impact for PRs are:

- Visor Trimming Procedure for Initial and Replacement Issue
- IPD Alignment upon HDU Swap

- Fault Isolate Helmet, HDU, and Upper HVI
- Functional Test for Troubleshooting
- Repair HDU by Removal and Replacement of Visor

The prime contractor convened a joint Industry-Government team to study the JHMCS fitting process in April 2001. The purpose of the fit study was to identify and implement ways to minimize the impact of the fitting process on manpower requirements by reducing the overall time required to complete an initial or replacement issue. The preliminary results of this study appear to be very promising in reducing the overall time to fit the JHMCS to individual pilots. While any amount of reduction in required maintenance time is beneficial to manpower issues, it appears that the reductions will be insufficient to offset the need for additional manning in the F/A-18E/F squadron environment. However, it is very likely that they will be sufficient to offset a portion of the additional manning originally estimated for the F/A-18C/D OSIP program.

The Estimated Maintenance Man-Hours per Flight Hour model was calculated for all models and series of the F/A-18, and distinguished between single- and dual-seat, Fleet Readiness Squadron (FRS), and operational fleet squadron applications. Information for the F/A-18E/F is presented in this iteration of the NTSP. Information for the F/A-18C/D OSIP will be included in updates to this NTSP as the results of the helmet fit study are validated during OT&E. This table will be updated as the JHMCS is made available to other platforms. No new NECs will be established to support the JHMCS at this time.

a. Estimated Maintenance Man-Hours per Operating Hour

SQUADRON TYPE	AME	AT	PR
F/A-18E/F FRS (Single-Seat)	0.01	0.10	4.21
F/A-18E/F FRS (Dual-Seat)	0.01	0.10	6.08
F/A-18E Fleet Squadron	0.01	0.05	0.60
F/A-18F Fleet Squadron (Single-Seat)	0.01	0.06	0.64
F/A-18F Fleet Squadron (Dual-Seat)	0.01	0.06	1.16

b. Proposed Utilization. Proposed utilization rates coincide with aircraft utilization rates as published in the Required Operational Capabilities and Projected Operational Environment statements for the specific JHMCS installed aircraft.

c. Recommended Qualitative and Quantitative Manpower Requirements

(1) **Aircrew.** NA

(2) **Enlisted**

SQUADRON TYPE	AME	AT	PR
F/A-18E/F FRS (Single-Seat)	0	0	4
F/A-18E/F FRS (Dual-Seat)	0	0	5
F/A-18E Fleet Squadron	0	0	1
F/A-18F Fleet Squadron (Single-Seat)	0	0	1
F/A-18F Fleet Squadron (Dual-Seat)	0	0	1

4. Training Concept. The contractor delivered difference training curriculum materials to Maintenance Training Unit (MTU) 1038 Naval Aviation Maintenance Training Unit (NAMTRAU) Lemoore, California, in conjunction with the Interactive Electronic Technical Manual (IETM) delivery schedule in August 2001.

a. Initial Training. The primary method of providing Aviation Life Support Systems (ALSS) initial training is for the Fleet Air Introduction/Liaison Survival Aircrew Flight Equipment (FAILSAFE) Team to visit each site, including other training activities, to provide indoctrination to aircrew and maintenance personnel. These FAILSAFE Teams receive their training either from the manufacturer or the development activity. The FAILSAFE Team for the JHMCS received their training from the contractor during Fleet Introduction Training in March 2001. As the JHMCS is introduced into the fleet, PR personnel will receive on-site maintenance indoctrination from FAILSAFE Teams.

(1) Operator. Flight Test Training consists of two hours of classroom training, followed by two hours of flight simulator training per Pilot to familiarize the flight test aircrews with the operational and safety issues associated with JHMCS. Flight Test Training for the F/A-18C has been completed. Flight Test Training for the F/A-18E is currently being conducted under contract by the Boeing Company in St. Louis, Missouri.

Boeing provided JHMCS Aircrew familiarization training to Naval Weapon Test Squadron, VX-9, and NAVAIR personnel prior to the start of JHMCS DT-IIB and OA test phases. Boeing will also provide training prior to F/A-18E/F FOT&E-1 to support the JHMCS OT&E phase of this test. Test Pilot training has previously included and is expected to continue to include instruction via a Microsoft PowerPoint® briefing with follow-along workbook notes and hands-on practice in the F/A-18E/F dome simulator at Boeing facilities.

(2) Maintenance. The prime contractor will conduct difference training coinciding with aircraft delivery for transitioning squadrons and NAMTRAU Lemoore, as part of the F/A-18E/F Low Rate Initial Production (LRIP) III Training Contract. Refer to elements III.A.1 and IV.B.1 of this NTSP for additional information regarding initial maintenance training

schedules. FAILSAFE Teams will conduct initial maintenance indoctrination for PRs. MTU 1038 NAMTRAU Lemoore will conduct initial training for AMEs and ATs.

b. Follow-on Training

(1) Operator. Follow-on fleet operator JHMCS training material is being developed on contract concurrently with the final phases of JHMCS testing. The course materials are currently in final stages of development and delivery is anticipated in third quarter FY02. A Training Development Team consisting of test and fleet operators has been organized and is performing as the primary review body for JHMCS fleet representative training material and initial course outline development. Products being developed include:

- F/A-18E/F JHMCS Interactive Courseware (ICW)
- Initial Tactical Recommendations
- JHMCS Pilot Briefing
- Initial JHMCS Pilot Familiarization Flight Syllabus

These training products will provide fleet representatives with the training material required following OT&E and also develops initial fleet training subject matter experts prior to JHMCS entering into service. The following table lists the members of the Training Development Team:

Training Team Sponsor:

Mr. Brian Hall NAVAIRSYSCOM (PMA202)
Navy JHMCS Training Lead

Testers:

CDR Paul Pompier Operational Test and Evaluation Force
Navy OT

LCDR Rick McCormack NWTS / NAWCWD
Navy DT, China Lake

LT Tom Tennant Naval Test Squadron / NAWCAD
Navy DT, Patuxent River

LT Michael Siefert VX-9
Navy OT

Users:

MAJ John Spahr Naval Strike Air Warfare Center (NSAWC)
TOPGUN

LT Phil Clay NSAWC
TOPGUN

LT Steve Trafton NSAWC
STRIKE

LCDR Shawn Cushing..... Strike Fighter Wing Atlantic (SFWL)
Navy Strike Fighter Tactics Instructor (SFTI)

LT Scott Bonz..... Strike Fighter Wing Pacific (SFWP)
Navy SFTI

LT Rob Mathewson..... Special Weapons and Tactics Atlantic (SWATSLANT)
Navy SFTI

LT Tony Breyer Strike Fighter Squadron (VFA)-122
F/A-18E/F Fleet Introduction Team

MAJ Kevin Wolfe..... Marine Aviation Weapons Test Squadron-1
Marine Weapons Tactics Instructor

Material Developers:

Mr. Richard Garcia..... Whitney, Bradley, and Brown
Project Lead

Mr. Bruce Kaiser..... Systems Management Technology, Inc.
ICW Lead

(2) Maintenance. Three organizational level F/A-18E/F NAMTRAU courses will have the JHMCS curriculum added to the existing syllabus. The AT (Initial) pipeline course C-102-9977 in training track E-102-0623 and the AT (Career) pipeline course C-102-9978 in training track E-102-0624 will incorporate the JHMCS with an increase of approximately 14 hours of classroom training time. When aircraft become available to the NAMTRAU to facilitate training, additional increases in training time will be expected to accommodate practical labs. The AME pipeline course C-602-9980 in training track E-602-0664 will incorporate the JHMCS with no expected increase in course length.

Additionally, NAMTRAU is in the process of developing a series of F/A-18E/F (Difference) Organizational maintenance courses to accommodate squadrons transitioning from the F/A-18C. The AT (Difference) pipeline course C-102-9979 in training track E-102-0625 will incorporate the JHMCS.

NAMTRAU does not currently support aircraft specific follow-on maintenance training for PRs due to the generic nature of most rating tasks and assigned NEC of 0000. Additionally, the JHMCS Operational Requirements Document (ORD) stipulates that the JHMCS will be maintained within the current NEC structure. Since completion of NAMTRAU courses generally awards an NEC, establishing a PR training track within the NAMTRAU is not considered feasible since this would require the establishment of a new PR NEC.

The majority of ALSS organizational and intermediate maintenance training for PR personnel is currently provided by C-602-2035, *Aircrew Survival Equipmentman Common Core Class A1*. The Aircrew Survival Equipmentman Class C1 and F1 courses cover specific intermediate maintenance training requirements and are not utilized for organizational

maintenance training. The JHMCS is currently limited to a single aircraft platform for the Navy, the F/A-18E/F. Although aircraft specific training is generally considered to be beyond the intended scope of the “A” school course concept, the JHMCS is being incorporated into the C-602-2035, *Aircrew Survival Equipmentman Common Core Class A1* course curriculum. Follow-on training for current PR “A” school graduates for the JHMCS will be limited to an On-the-Job Training (OJT) syllabus developed by STRIKEFITWINGPAC, and follow-up FAILSAFE Team visits.

All current organizational level maintenance courses are in the process of integrating Computer-Based Training with its basic elements of Computer-Managed Instruction (CMI), Computer-Aided Instruction (CAI), ICW, and Aviation Maintenance Training Continuum System (AMTCS) Electronic Modules into their curricula for classroom presentation and management.

Title	F/A-18E/F Avionics System (Initial) Organizational Maintenance
CIN	E-102-0623
Model Manager ...	NAMTRAU Lemoore
Description	This course provides training to the first tour Aviation Electronics Technician, including: <ul style="list-style-type: none"> ◦ Fire Control Systems ◦ Communication and Navigation Systems ◦ Identification System ◦ Countermeasure System ◦ Test and Support Equipment ◦ Publications and Safety Procedures <p>Upon completion, the student will be able to perform as an F/A-18E/F Avionics System Organizational Maintenance Technician in a squadron environment under direct supervision.</p>
Location	MTU 1038 NAMTRAU Lemoore
Length	95 days
RFT date	Currently available (JHMCS included as of February 2002)
Skill identifier.....	AT 8841

- TTE/TD..... ° TD-04 Armament System Maintenance Trainer Set (MTS)
 ° F/A-18E/F Weapons System
 ° TD-05 Avionics System MTS
 ° F/A-18E/F Avionics Systems
 ° TD-06 ECS / Electrical System MTS
 ° F/A-18E/F Avionics Systems
- Prerequisite..... ° E-1 through E-4
 ° C-100-2018, Avionics Technician Organizational Level Class A1
 ° C-100-2020, Avionics Common Core Class A1

Title F/A-18E/F Avionics System (Career) Organizational Maintenance

CIN E-102-0624

Model Manager ... NAMTRAU Lemoore

Description This track provides advanced training to the second tour Aviation Electronics Technician, including:

- ° Theory, Operation, Testing, and Troubleshooting Procedures
- ° Fire Control Systems
- ° Communication and Navigation Systems
- ° Identification System
- ° Countermeasure System
- ° Test and Support Equipment
- ° Publications and Safety Procedures

Upon completion, the student will be able to perform as an F/A-18E/F Avionics System Organizational Maintenance Technician in a squadron environment under limited supervision.

Location MTU 1038 NAMTRAU Lemoore

Length 32 days

RFT date Currently available (JHMCS included as of February 2002)

Skill identifier..... AT 8341

- TTE/TD..... ° TD-04 Armament System MTS
 ° F/A-18E/F Weapons System
 ° TD-05 Avionics System MTS
 ° F/A-18E/F Avionics Systems

Prerequisite..... ° E-5 through E-7
° E-102-0623, F/A-18E/F Avionics System (Initial)
Organizational Maintenance

**Title F/A-18E/F Safety Equipment (Initial) Organizational
Maintenance**

CIN E-602-0664

Model Manager ... NAMTRAU Lemoore

Description This course provides training to the first tour Aviation
Structural Mechanic (Safety Equipment), including:
° Environmental Control Systems
° NACES
° Emergency Escape Sequencing
° Test and Support Equipment
° Publications and Safety Procedures

Upon completion, the student will be able to perform as an
F/A-18E/F Safety Equipment Organizational Maintenance
Technician in a squadron environment under direct
supervision.

Location MTU 1038 NAMTRAU Lemoore

Length 33 days

RFT date Currently available (JHMCS included as of February 2002)

Skill identifier..... AME 8841

TTE/TD..... 960182-1202-01 Ejection Seat NAMT

Prerequisite..... ° E-1 through E-4
° C-602-2033, Aviation Structural Mechanic E (Safety
Equipment) Common Core Class A1
° C-602-2034, Aviation Structural Mechanic E (Safety
Equipment) Egress Strand Class A1

Title **F/A-18E/F Avionics System (Difference) Organizational Maintenance**

CIN E-102-0625

Model Manager ... NAMTRAU Lemoore

Description This track provides training to the Aviation Electronics Technician transitioning from the F/A-18C/D, including:

- Theory, Operation, Testing, and Troubleshooting Procedures
- Fire Control Systems
- Communication and Navigation Systems
- Identification System
- Countermeasure System
- Test and Support Equipment
- Publications and Safety Procedures

Upon completion, the student will be able to perform as an F/A-18E/F Avionics System Organizational Maintenance Technician in a squadron environment under supervision.

Location MTU 1038 NAMTRAU Lemoore

Length 40 days

RFT date May 2002

Skill identifier..... AT 8841

TTE/TD.....

- TD-04 Armament System MTS
- F/A-18E/F Weapons System
- TD-05 Avionics System MTS
- F/A-18E/F Avionics Systems

Prerequisite.....

- E-1 through E-4
- E-102-0622, F/A-18 Avionics System (Initial) Organizational Maintenance

c. Student Profiles

SKILL IDENTIFIER	PREREQUISITE SKILL AND KNOWLEDGE REQUIREMENTS
AME 8341	<ul style="list-style-type: none"> ◦ C-602-2033, Aviation Structural Mechanic E (Safety Equipment) Common Core Class A1 ◦ C-602-2034, Aviation Structural Mechanic E (Safety Equipment) Egress Strand Class A1 ◦ D/E-602-0664, F/A-18E/F Safety Equipment (Initial) Organizational Maintenance
AME 8841	<ul style="list-style-type: none"> ◦ C-602-2033, Aviation Structural Mechanic E (Safety Equipment) Common Core Class A1 ◦ C-602-2034, Aviation Structural Mechanic E (Safety Equipment) Egress Strand Class A1
AT 8341	<ul style="list-style-type: none"> ◦ C-100-2020, Avionics Common Core Class A1 ◦ C-100-2018, Avionics Technician Organizational Level Class A1 ◦ E-102-0623, F/A-18E/F Avionics System (Initial) Organizational Maintenance
AT 8841	<ul style="list-style-type: none"> ◦ C-100-2020, Avionics Common Core Class A1 ◦ C-100-2018, Avionics Technician O Level Class A1
PR	<ul style="list-style-type: none"> ◦ C-602-2035, Aircrew Survival Equipmentman Common Core Class A1

d. Training Pipelines. No new training pipelines or tracks were established to support only JHMCS. Three organizational level F/A-18E/F NAMTRAU courses have the JHMCS curriculum added. The AME pipeline course C-602-9980 in training track E-602-0664 incorporated the JHMCS with no increase in course length. The AT pipeline course C-102-9977 in training track E-102-0623 and the AT (Career) pipeline course C-102-9978 in training track E-102-0624 incorporated the JHMCS with an increase of approximately 14 hours of classroom training time. When aircraft training devices become available, additional increases in training time will be expected to accommodate practical labs.

Additionally, NAMTRAU is in the process of developing a series of F/A-18E/F (Difference) Organizational maintenance courses to accommodate squadrons transitioning from the F/A-18C. The AT (Difference) pipeline course C-102-9979 in training track E-102-0625 has incorporated the JHMCS.

I. ONBOARD (IN-SERVICE) TRAINING. Onboard training will be conducted via an OJT syllabus locally developed by Strike Fighter Wing Pacific in accordance with current NAMP policy.

1. Proficiency or Other Training Organic to the New Development. AMTCS will provide career path training to the Sailor or Marine from their initial service entry to the end of their military career. AMTCS concepts will provide an integrated system that will satisfy the training and administrative requirements of both the individual and the organization. The benefits will be manifested in the increased effectiveness of the technicians and the increased efficiencies of the management of the training business process. Where appropriate, capitalizing on technological advances and integrating systems and processes can provide the right amount of training at the right time, thus meeting the CNO's mandated "just-in-time" training approach.

Technology investments enable the development of several state-of-the-art training and administrative tools: Interactive Multimedia Instruction (IMI) for the technicians in the Fleet in the form of Interactive Courseware (ICW) with CMI and CAI for the schoolhouse.

Included in the AMTCS development effort is the Aviation Maintenance Training Continuum System - Software Module, which provides testing [Test and Evaluation], recording [Electronic Certification Qualification Records], and a Feedback system. The core functionality of these AMTCS tools are based and designed around the actual maintenance-related tasks the technicians perform, and the tasks are stored and maintained in a Master Task List data bank. These tools are procured and fielded with appropriate Commercial-Off-The-Shelf (COTS) hardware and software, i.e., Fleet Training Devices - Laptops, PCs, Electronic Classrooms, Learning Resource Centers (LRC), operating software, and network software and hardware.

Upon receipt of direction from OPNAV (N789H), AMTCS concepts are to be implemented and the new tools integrated into the daily training environment of all, participating aviation activities and supporting elements. AMTCS will serve as the standard training system for aviation maintenance training within the Navy and Marine Corps, and is planned to supersede the existing MTIP and Maintenance Training Management and Evaluation Program (MATMEP) programs.

The Navy fleet aircrew training materials listed below are in final development by Whitney, Bradley, and Brown, Inc., Vienna, Virginia. Members of the Training Materials Development Team outlined in paragraph 4.b.(1) above will approve final deliverables for format and content. In-process reviews are scheduled throughout the end of the OT&E phase. Deliverables include:

- JHMCS System Briefing (Microsoft PowerPoint® Format with Notes Page Text)
- JHMCS Tactical Recommendations Briefing (Microsoft PowerPoint® Format with Notes Page Text)

- Lesson Module based JHMCS/F/A-18E/F ICW (Authorware 5.1) to include the following lesson modules:
 - HMD Theory
 - JHMCS Familiarization/System Description
 - JHMCS Platform Integration
 - JHMCS Operational Procedures/Tactical Recommendations
 - JHMCS Degraded Operations
 - JHMCS Safety
 - JHMCS Lessons Learned
 - HMD Threat Overview
 - JHMCS ICW Test Module
- JHMCS TACMAN (Tactical Recommendations) Chapter (Boeing requested format)
- JHMCS Flight Syllabus Structure and Content (NSAWC requested format)

Members of the contractor development team will be working with VX-9 as trusted agents during the OT&E phase. This approach enables the contractor to collect JHMCS tactical employment recommendations during the development process, which will facilitate final delivery of training materials prior to JHMCS system fleet bed-down.

2. Personnel Qualification Standards. NA

3. Other Onboard or In-Service Training Packages. NA

J. LOGISTICS SUPPORT

1. Manufacturer and Contract Numbers

CONTRACT NUMBER	MANUFACTURER	ADDRESS
F33657-97-C-0001	The Boeing Company	P.O. Box 516, MC S106-5235 St. Louis, MO 63166-0516
F33657-97-C-0001	Oregon Aero, Inc.	34020 Skyway Drive Scappoose, OR 97056
F33657-97-C-0001	Vision Systems International (VSI)	2711 Orchard Park Way San Jose, CA 95134-2083

2. Program Documentation. The Joint Mission Need Statement (CAF 308-93) was approved in January 1994. The Milestone A Acquisition Decision Memorandum was approved in

December 1994. The original Program Management Directive (PMD) #2302(4)/PE64201F) was approved in January 1995. Subsequent PMDs were approved in January 1996 and in April 1996. Both the USN and USAF approved the ORD (CAF-USN 308-93-II-A) in December 1996. The current Single Acquisition Management Plan was approved in May 2000.

3. Technical Data Plan. Boeing developed on- and off-aircraft technical manuals for both the USAF and the Navy. For the Navy, the on-aircraft manuals were assigned a Technical Manual Identification Numbering System (TMINS) series number in the F/A-18 series manuals. The off-aircraft manual was assigned the number NAVAIR 13-1-6.7-5, and was titled in the Aviation Crew Systems Manual series. Additionally, the HMDTS operator instructions have been incorporated into the off-aircraft manual. The modifications to the Torso Harness will be incorporated through the Technical Directive process and added to the NA 13-1-6.2. All manuals were delivered in electronic media in portable document format (PDF) compatible with Adobe Acrobat Reader. On-aircraft manuals were delivered in IETM and PDF format. Delivery was completed concurrent with the F/A-18E/F Operational Evaluation (OPEVAL) in fourth quarter FY01. Delivery of updates will continue as required.

4. Test Sets, Tools, and Test Equipment

a. Helmet Mounted Display Test Set. The JHMCS has one in-shop test set: the JHMCS HMDTS. The HMDTS is a stand-alone test set capable of verifying the functionality of the JHMCS HMD. It operates in conjunction with a standard PC via the supplied RS232 cable and test software. Items supplied in the HMDTS include Unit Under Test (UUT) test cable, RS232 cable, DB9 to DB25 adapter, power cable, and test software. Computer hardware requirements include:

- PC
- Microsoft Windows 95/98 Operating System (See note)
- 16 MB of RAM
- 5 MB of Available Hard Disk Space
- One Available Serial Port

Note: The software has been tested with Microsoft Windows NT 4.0 and Windows 2000 operating systems and found to be compatible.

b. Aircraft Mapper Test Set. The JHMCS Aircraft Mapper Test Set is a stand-alone test set that measures and records the magnetic resonance of the cockpit area in relation to the seat. The cockpit is mapped at three different heights that correspond to the SPS height as the seat is raised and lowered (full up, full down, and center of travel). The prime contractor is currently assembling a listing of items that will be included with the Aircraft Mapper Test Set.

c. Tools. Contact Strike Fighter Wing Pacific for information regarding the special tools listing. A table of Support Equipment, Common Tools, and Special Tools required to support the JHMCS has been developed by the lead contractor, and is included in element IV.A.1 of this NTSP.

5. Repair Parts. Provisioning action for the JHMCS repair parts will be accomplished by the lead service. One Primary Inventory Control Manager will be established for all services. The Naval Inventory Control Point (NAVICP) will be a secondary inventory control authority for the Navy. The MSD for NAVICP is anticipated by September 2004. The Technical Data Plans are currently sufficient to support organizational level parts provisioning, but are insufficient to support stand-up of the organic depot. All organizational level provisioning drawings have been received from the contractor and approved by the government. The following table lists spare and repair parts requirements.

ASSEMBLY	DESCRIPTION	PART NUMBER
EU	Single-Seat	620100-01-21
	Dual-Seat	620100-02-00
Magnetic Transmitter Unit	F-15, F/A-18 and F-22, FNT	620200-01-02
	F-15, Back	620200-02-00
	F-16, Front Seat	620200-03-00
	F/A-18, Back	620200-04-00
Magnetic Transmitter Unit Bolt	Screw Set	620202-01-00
CU	F-15/16/18/22	620300-01-02
HVI, Upper	F-15/16/22, XL Interface	620410-01-02
	F-15/16/22, L Interface	620410-02-02
	F-15/16/22, M Interface	620410-03-02
	F/A-18, XL 98% Interface	620410-04-02
	F/A-18, L 98% Interface	620410-06-02
	F/A-18, M 98% Interface	620410-08-02
	F/A-18, XL 3% Interface	620410-05-02
	F/A-18, L 3% Interface	620410-07-02
	F/A-18, M 3% Interface	620410-09-02
HVI, Lower	F-15	620420-01-03
	F/A-18C	620420-02-03
	F/A-18D, Front Seat	620420-05-03
	F-16	620420-05-03
	F/A-18E/F	620420-06-00
QDC Seal, Hi-Voltage	HVI Seal	620480-01-00

ASSEMBLY	DESCRIPTION	PART NUMBER
UC Seal, Hi-Voltage	HVI Seal	620490-01-00
Helmet/Interconnect	F-15/16/22, X-Large	620510-02-05
	F-15/16/22, Large	620510-02-05
	F-15/16/22, Medium	620510-03-05
	F/A-18, X-Large 98%	620510-04-05
	F/A-18, Large 98%	620510-06-05
	F/A-18, Medium 98%	620510-08-05
	F/A-18, X-Large 3%	620510-05-05
	F/A-18, Large 3%	620510-07-05
	F/A-18, Medium 3%	620510-09-05
Display Unit (DU)	With Mono Cam	620520-01-05
	With Color Cam	620520-02-00
Visor	Clear	620530-01-01
	15%	620530-02-00
	25%	620530-03-04
	High Contrast	620530-05-01
	Visor Tangs Kit	620532-01-00
	Latch Visor Kit	620534-01-00
	Knob, Visor Kit	620536-01-00
Helmet	X-Large, Modified	620540-01-00
	Large, Modified	620540-02-00
	Medium, Modified	620540-03-00
CRT Assembly		620590-01-03
HMDTS	Top Assembly	620900-02-01 (small)
	Test Set Cable	620992-01-01

6. Human Systems Integration. The JHMCS, by its very nature, is heavily reliant on successful accomplishment of the human system interface. The Logistic Support Analysis has addressed the Human Systems Integration elements of manpower, training, safety, personnel,

health hazards, human factors engineering, and survivability. All identified issues have been addressed.

K. SCHEDULES

1. Installation and Delivery Schedules. HGU-55A/P helmet assemblies will be delivered at the rate of one per pilot concurrent with the schedule below. The current distribution plan excludes delivery of JHMCS assets to the FRS at this time at the direction of STRIKEFITWINGPAC.

DELIVERY SCHEDULE (NUMBER OF HDU SHIPSETS PLUS SPARES)

PRODUCTION ORDER	FY02	FY03	FY04	FY05	FY06	FY07	FY08
LRIP-1 for F/A-18 Lot 24:	36						
VFA-41	14 + 1						
VFA-14	12 + 1						
VFA-102	8						
LRIP-2 for F/A-18 Lot 25:		39					
VFA-102		6 + 1					
VFA-27		12 + 2					
VX-9		5					
FRP for F/A-18 Lot 26:			42	42	42	42	42
VFA-97		12 + 1					
VFA-86			12 + 1				
VFA-211			14 + 1				
STRIKEFITWING (Note)			14	11	-2	14	-1
VFA-137				12 + 1			
VFA-11				12 + 1			
VX-9				3			
NSTS/NWTS				2			
VFA-154					14 + 2		
VFA-105					12 + 1		

PRODUCTION ORDER	FY02	FY03	FY04	FY05	FY06	FY07	FY08
VFA-213					14 + 1		
VFA-81						12 + 1	
VFA-103						14 + 1	
VFA-2							14 + 1
VFA-146							12 + 1
VFA-143							14 + 1

Note: Extra shipset assets will be retained by STRIKEFITWING in storage as ready spares to enable 100% outfitting of squadrons during transitioning.

2. Ready For Operational Use Schedule. Since the JHMCS is being installed in the production F/A-18E/F during aircraft assembly, the Ready For Operational Use (RFOU) date of the JHMCS for a squadron will coincide with the delivery of the first aircraft to the squadron. Aircrew equipment will be RFOU upon completion of assembly and aircrew fitting at the squadron.

3. Time Required to Install at Operational Sites. The time required for JHMCS helmet installation at the operational site is currently under final evaluation by VX-9 and the prime contractor. Currently, the elapsed maintenance time required for installation is approximately 8 hours (one shift) with LRIP III visors. This information will be modified in updates to this NTSP upon approval of the final maintenance plan produced from the Helmet Fit-Study Team.

Installation of aircraft components for the F/A-18E/F is accomplished on the assembly line during production for Lot 24 and subsequent aircraft. Provisions for JHMCS were incorporated into Lot 23 aircraft, and installation time does not exceed normal replacement installation time. Lot 21 and 22 aircraft are not currently being considered for JHMCS installation.

4. Foreign Military Sales and Other Source Delivery Schedule. An FMS delivery schedule is not currently available. Contact NAVAIRSYSCOM (PMA202D) for more information regarding FMS.

5. Training Device and Technical Training Equipment Delivery Schedule. Current planning calls for installation of four Weapons Tactics Trainers (WTT) in early FY03 at NAS Lemoore. There are no current plans for a WTT installation at NAS Oceana. There are no current plans for JHMCS to be incorporated in a Tactical Operational Flight Trainer (TOFT). A comprehensive listing of Training Devices and Technical Training Equipment required for NAMTRAU Lemoore and NATTC Pensacola is included Part IV of this NTSP.

L. GOVERNMENT-FURNISHED EQUIPMENT AND CONTRACTOR-FURNISHED EQUIPMENT TRAINING REQUIREMENTS. Refer to Part IV of this NTSP for a complete listing of equipment training requirements.

**WEAPONS TACTICS TRAINER
GOVERNMENT FURNISHED EQUIPMENT REQUIREMENTS**

EQUIPMENT	PART NUMBER	QUANTITY	DATE REQUIRED	
			NOV 01	OCT 02
EU	620100	3	2	1
Magnetic Tracker Unit	620200	3	2	1
CU	620300	3	2	1
Upper HVI	620410	3	2	1
Lower HVI (Note 1)	620420	3	2	1
Quick Disconnect Mounting Bracket	TBD	2	2	-
HGU-55A/P Helmet (Note 2)	620510	3	2	1
DU	620520	3	2	1
Visor Assembly	620530	4	2	2

Note 1: Includes mating connectors for CU and WTT interface cable assembly (T-089495).

Note 2: Includes installed microphone and earphones.

M. RELATED NTSPs AND OTHER APPLICABLE DOCUMENTS. Current NTSP documents can be downloaded online from the OPNAV Aviation Technical Training (N789H) web site at: http://www.avtechtra.navy.mil/ntsp_catalog.htm.

DOCUMENT OR NTSP TITLE	DOCUMENT OR NTSP NUMBER	PDA CODE	STATUS
Aviation Life Support Systems NTSP	N88-NTSP-A-50-9206A/D	PMA202	Draft Aug 01
F/A-18 Aircraft NTSP	N88-NTSP-A-50-7703H/A	PMA265	Approved Dec 01

PART II - BILLET AND PERSONNEL REQUIREMENTS

The following elements are not affected by the JHMCS and, therefore, are not included in Part II of this NTSP:

II.A. Billet Requirements

II.A.2.a. Operational and Fleet Support Activity Deactivation Schedule

II.A.2.b. Billets to be Deleted in Operational and Fleet Support Activities

II.A.2.c. Total Billets to be Deleted in Operational and Fleet Support Activities

Note (1): The billets listed in this NTSP reflect only those required for operation and maintenance support of the JHMCS and are not a reflection of the total squadron end strength.

Note (2): Operational Activity Billets listed reflect an increase in manpower requirements as recommended in Part I, paragraph H.3.c.(2), beginning in the FY03 increment. This increase is projected and not listed in the source of schedule (TFMMS) at this time. **These projected, unprogrammed billets have been highlighted in gray for ease of identification.**

Note (3): Although Part II.A.1.a reflects the transition schedule through FY06, Part II.A.1.b contains phasing-in billet listings for squadrons through the FY08 increment. Squadrons transitioning in FY09 and later will be addressed in future iterations of this NTSP.

Note (4): Activity activation schedule coincides with the F/A-18E/F Super Hornet Transition Plan 28 released in April 2001.

Note (5): Only squadrons receiving Lot 24 and subsequent (i.e., JHMCS capable) F/A-18E/F Super Hornet aircraft are listed.

Note (6): The NTSP is not used to calculate Chargeable Student Billet Requirements for Class A1 schools due to fluctuations in recruiting level requirements. Therefore, the PR "A" School course, CIN C-602-2035, is not included in Part II.A.4 of this NTSP and projected, unprogrammed billets do not impact the calculations in this section.

Note (7): The NTSP is not used to calculate Annual Training Input Requirements for Class A1 schools due to fluctuations in recruiting level requirements. Therefore, the PR "A" School course, CIN C-602-2035, is not included in Part IIB of this NTSP and projected, unprogrammed billets do not impact the calculations in this section.

PART II - BILLET AND PERSONNEL REQUIREMENTS

II.A. BILLET REQUIREMENTS

SOURCE OF SCHEDULE: Total Force Manpower Management System

DATE: November 2001

II.A.1.a. OPERATIONAL AND FLEET SUPPORT ACTIVITY ACTIVATION SCHEDULE

ACTIVITY, UIC		PFYs	CFY02	FY03	FY04	FY05	FY06
OPERATIONAL ACTIVITIES - USN							
VFA-105	65183	0	0	0	0	0	1
VFA-11	09560	0	0	0	0	1	0
VFA-211	09086	0	0	0	1	0	0
VFA-213	09934	0	0	0	0	0	1
VFA-86	09943	0	0	0	1	0	0
VFA-102	09717	0	0	1	0	0	0
VFA-137	55142	0	0	0	0	1	0
VFA-14	09084	0	1	0	0	0	0
VFA-154	09678	0	0	0	0	0	1
VFA-27	65185	0	0	1	0	0	0
VFA-41	09774	0	1	0	0	0	0
VFA-97	63923	0	0	0	1	0	0
TOTAL:		0	2	2	3	2	3
FLEET SUPPORT ACTIVITIES - USN							
VX-31, China Lake	39787	0	0	0	0	1	0
VX-30 NAWCWD, China Lake	55646	0	0	0	0	1	0
TOTAL:		0	0	0	0	2	0

II.A.1.b. BILLETS REQUIRED FOR OPERATIONAL AND FLEET SUPPORT ACTIVITIES

ACTIVITY, UIC, PHASING INCREMENT	BILLETS		DESIG/ RATING	PNEC/ PMOS	SNEC/ SMOS
	OFF	ENL			
OPERATIONAL ACTIVITIES - USN					
VFA-103, 09718, FY07 Increment					
ACDU	2	0	1301		
	18	0	1311		
	18	0	1321		
	0	1	AMEC	8341	
	0	2	AME1	8341	
	0	4	AME2	8341	
	0	2	AME3	8841	
	0	3	AMEAN	8841	
	0	1	ATC	8341	
	0	2	AT1	8341	
	0	4	AT2	8341	
	0	5	AT3	8841	
	0	5	ATAN	8841	
	0	1	PR1		
	0	2	PR2		
	0	1	PR3		
	0	1	PRAN		
	0	1	PRAN		
ACTIVITY TOTAL:	38	35			
VFA-105, 65183, FY06 Increment					
ACDU	17	0	1311		
	0	1	AMEC	8341	
	0	2	AME1	8341	
	0	4	AME2	8341	
	0	2	AME3	8841	
	0	2	AMEAN	8841	
	0	1	ATC	8341	
	0	3	AT1	8341	
	0	5	AT2	8341	
	0	5	AT3	8841	
	0	7	ATAN	8841	
	0	1	PR1		
	0	1	PR2		
	0	1	PR3		
	0	1	PRAN		
	0	1	PRAN		
ACTIVITY TOTAL:	17	37			
VFA-11, 09560, FY05 Increment					
ACDU	17	0	1311		
	0	1	AMEC	8341	

0 2 AME1 8341

II.A.1.b. BILLETS REQUIRED FOR OPERATIONAL AND FLEET SUPPORT ACTIVITIES

ACTIVITY, UIC, PHASING INCREMENT	BILLETS		DESIG/ RATING	PNEC/ PMOS	SNEC/ SMOS
	OFF	ENL			
ACDU	0	4	AME2	8341	
	0	2	AME3	8841	
	0	2	AMEAN	8841	
	0	1	ATC	8341	
	0	3	AT1	8341	
	0	5	AT2	8341	
	0	5	AT3	8841	
	0	7	ATAN	8841	
	0	1	PR1		
	0	1	PR2		
	0	1	PR3		
	0	1	PRAN		
	0	1	PRAN		
	ACTIVITY TOTAL:	17	37		
VFA-143, 09281, FY08 Increment					
ACDU	2	0	1301		
	18	0	1311		
	18	0	1321		
	0	1	AMEC	8341	
	0	2	AME1	8341	
	0	4	AME2	8341	
	0	2	AME3	8841	
	0	3	AMEAN	8841	
	0	1	ATC	8341	
	0	2	AT1	8341	
	0	4	AT2	8341	
	0	5	AT3	8841	
	0	5	ATAN	8841	
	0	1	PR1		
	0	2	PR2		
	0	1	PR3		
	0	1	PRAN		
	0	1	PRAN		
ACTIVITY TOTAL:	38	35			
VFA-2, 09113, FY08 Increment					
ACDU	2	0	1301		
	18	0	1311		
	18	0	1321		
	0	1	AMEC	8341	
	0	2	AME1	8341	
	0	4	AME2	8341	
	0	2	AME3	8841	

0 3 AMEAN 8841

II.A.1.b. BILLETS REQUIRED FOR OPERATIONAL AND FLEET SUPPORT ACTIVITIES

ACTIVITY, UIC, PHASING INCREMENT	BILLETS		DESIG/ RATING	PNEC/ PMOS	SNEC/ SMOS
	OFF	ENL			
ACDU	0	1	ATC	8341	
	0	2	AT1	8341	
	0	4	AT2	8341	
	0	5	AT3	8841	
	0	5	ATAN	8841	
	0	1	PR1		
	0	2	PR2		
	0	1	PR3		
	0	1	PRAN		
	0	1	PRAN		

ACTIVITY TOTAL: 38 35

VFA-211, 09086, FY04 Increment
ACDU

2	0	1301		
18	0	1311		
18	0	1321		
0	1	AMEC	8341	
0	2	AME1	8341	
0	4	AME2	8341	
0	2	AME3	8841	
0	3	AMEAN	8841	
0	1	ATC	8341	
0	2	AT1	8341	
0	4	AT2	8341	
0	5	AT3	8841	
0	5	ATAN	8841	
0	1	PR1		
0	2	PR2		
0	1	PR3		
0	1	PRAN		
0	1	PRAN		

ACTIVITY TOTAL: 38 35

VFA-213, 09934, FY06 Increment
ACDU

2	0	1301		
18	0	1311		
18	0	1321		
0	1	AMEC	8341	
0	2	AME1	8341	
0	4	AME2	8341	
0	2	AME3	8841	
0	3	AMEAN	8841	
0	1	ATC	8341	
0	2	AT1	8341	

0 4 AT2 8341

II.A.1.b. BILLETS REQUIRED FOR OPERATIONAL AND FLEET SUPPORT ACTIVITIES

ACTIVITY, UIC, PHASING INCREMENT	BILLETS		DESIG/ RATING	PNEC/ PMOS	SNEC/ SMOS
	OFF	ENL			
ACDU	0	5	AT3	8841	
	0	5	ATAN	8841	
	0	1	PR1		
	0	2	PR2		
	0	1	PR3		
	0	1	PRAN		
	0	1	PRAN		
ACTIVITY TOTAL:	38	35			
VFA-81, 09221, FY07 Increment					
ACDU	17	0	1311		
	0	1	AMEC	8341	
	0	2	AME1	8341	
	0	4	AME2	8341	
	0	2	AME3	8841	
	0	2	AMEAN	8841	
	0	1	ATC	8341	
	0	3	AT1	8341	
	0	5	AT2	8341	
	0	5	AT3	8841	
	0	7	ATAN	8841	
	0	1	PR1		
	0	1	PR2		
	0	1	PR3		
	0	1	PRAN		
	0	1	PRAN		
	ACTIVITY TOTAL:	17	37		
VFA-86, 09943, FY04 Increment					
ACDU	17	0	1311		
	0	1	AMEC	8341	
	0	2	AME1	8341	
	0	4	AME2	8341	
	0	2	AME3	8841	
	0	2	AMEAN	8841	
	0	1	ATC	8341	
	0	3	AT1	8341	
	0	5	AT2	8341	
	0	5	AT3	8841	
	0	7	ATAN	8841	
	0	1	PR1		
	0	1	PR2		
	0	1	PR3		
	0	1	PRAN		
	0	1	PRAN		

ACTIVITY TOTAL:

17 37

II.A.1.b. BILLETS REQUIRED FOR OPERATIONAL AND FLEET SUPPORT ACTIVITIES

ACTIVITY, UIC, PHASING INCREMENT	BILLETS		DESIG/ RATING	PNEC/ PMOS	SNEC/ SMOS
	OFF	ENL			
VFA-102, 09717, FY03 Increment					
ACDU	2	0	1301		
	18	0	1311		
	18	0	1321		
	0	1	AMEC	8341	
	0	2	AME1	8341	
	0	4	AME2	8341	
	0	2	AME3	8841	
	0	3	AMEAN	8841	
	0	1	ATC	8341	
	0	2	AT1	8341	
	0	4	AT2	8341	
	0	5	AT3	8841	
	0	5	ATAN	8841	
	0	1	PR1		
	0	2	PR2		
	0	1	PR3		
	0	1	PRAN		
	0	1	PRAN		
ACTIVITY TOTAL:	38	35			
VFA-137, 55142, FY05 Increment					
ACDU	17	0	1311		
	0	1	AMEC	8341	
	0	2	AME1	8341	
	0	4	AME2	8341	
	0	2	AME3	8841	
	0	2	AMEAN	8841	
	0	1	ATC	8341	
	0	3	AT1	8341	
	0	5	AT2	8341	
	0	5	AT3	8841	
	0	7	ATAN	8841	
	0	1	PR1		
	0	1	PR2		
	0	1	PR3		
	0	1	PRAN		
	0	1	PRAN		
ACTIVITY TOTAL:	17	37			
VFA-14, 09084, FY02 Increment					
ACDU	17	0	1311		
	0	1	AMEC	8341	
	0	2	AME1	8341	

0 4 AME2 8341

II.A.1.b. BILLETS REQUIRED FOR OPERATIONAL AND FLEET SUPPORT ACTIVITIES

ACTIVITY, UIC, PHASING INCREMENT	BILLETS		DESIG/ RATING	PNEC/ PMOS	SNEC/ SMOS
	OFF	ENL			
ACDU	0	2	AME3	8841	
	0	2	AMEAN	8841	
	0	1	ATC	8341	
	0	3	AT1	8341	
	0	5	AT2	8341	
	0	5	AT3	8841	
	0	7	ATAN	8841	
	0	1	PR1		
	0	1	PR2		
	0	1	PR3		
	0	1	PRAN		
	VFA-14, 09084, FY03 Increment				
ACDU	0	1	PRAN		
ACTIVITY TOTAL:	17	37			
VFA-146, 09063, FY08 Increment					
ACDU	17	0	1311		
	0	1	AMEC	8341	
	0	2	AME1	8341	
	0	4	AME2	8341	
	0	2	AME3	8841	
	0	2	AMEAN	8841	
	0	1	ATC	8341	
	0	3	AT1	8341	
	0	5	AT2	8341	
	0	5	AT3	8841	
	0	7	ATAN	8841	
	0	1	PR1		
	0	1	PR2		
	0	1	PR3		
	0	1	PRAN		
0	1	PRAN			
ACTIVITY TOTAL:	17	37			
VFA-154, 09678, FY06 Increment					
ACDU	2	0	1301		
	18	0	1311		
	18	0	1321		
	0	1	AMEC	8341	
	0	2	AME1	8341	
	0	4	AME2	8341	
	0	2	AME3	8841	
	0	3	AMEAN	8841	
	0	1	ATC	8341	
	0	2	AT1	8341	

0 4 AT2 8341

II.A.1.b. BILLETS REQUIRED FOR OPERATIONAL AND FLEET SUPPORT ACTIVITIES

ACTIVITY, UIC, PHASING INCREMENT	BILLETS		DESIG/ RATING	PNEC/ PMOS	SNEC/ SMOS
	OFF	ENL			
ACDU	0	5	AT3	8841	
	0	5	ATAN	8841	
	0	1	PR1		
	0	2	PR2		
	0	1	PR3		
	0	1	PRAN		
	0	1	PRAN		
ACTIVITY TOTAL:	38	35			
VFA-27, 65185, FY03 Increment					
ACDU	17	0	1311		
	0	1	AMEC	8341	
	0	2	AME1	8341	
	0	4	AME2	8341	
	0	2	AME3	8841	
	0	2	AMEAN	8841	
	0	1	ATC	8341	
	0	3	AT1	8341	
	0	5	AT2	8341	
	0	5	AT3	8841	
	0	7	ATAN	8841	
	0	1	PR1		
	0	1	PR2		
	0	1	PR3		
	0	1	PRAN		
	0	1	PRAN		
	ACTIVITY TOTAL:	17	37		
VFA-41, 09774, FY02 Increment					
ACDU	2	0	1301		
	18	0	1311		
	18	0	1321		
	0	1	AMEC	8341	
	0	2	AME1	8341	
	0	4	AME2	8341	
	0	2	AME3	8841	
	0	3	AMEAN	8841	
	0	1	ATC	8341	
	0	2	AT1	8341	
	0	4	AT2	8341	
	0	5	AT3	8841	
	0	5	ATAN	8841	
	0	1	PR1		
	0	2	PR2		
	0	1	PR3		

0 1 PRAN

II.A.1.b. BILLETS REQUIRED FOR OPERATIONAL AND FLEET SUPPORT ACTIVITIES

ACTIVITY, UIC, PHASING INCREMENT	BILLETS		DESIG/ RATING	PNEC/ PMOS	SNEC/ SMOS
	OFF	ENL			
VFA-41, 09774, FY03 Increment					
ACDU	0	1	PRAN		
ACTIVITY TOTAL:	38	35			
VFA-97, 63923, FY04 Increment					
ACDU	17	0	1311		
	0	1	AMEC	8341	
	0	2	AME1	8341	
	0	4	AME2	8341	
	0	2	AME3	8841	
	0	2	AMEAN	8841	
	0	1	ATC	8341	
	0	3	AT1	8341	
	0	5	AT2	8341	
	0	5	AT3	8841	
	0	7	ATAN	8841	
	0	1	PR1		
	0	1	PR2		
	0	1	PR3		
	0	1	PRAN		
	0	1	PRAN		
ACTIVITY TOTAL:	17	37			
FLEET SUPPORT ACTIVITIES - USN					
VX-31, China Lake, 39787, FY05 Increment					
ACDU	1	0	1302		
	1	0	1310		
	9	0	1312		
	0	1	AME1	8341	
	0	1	AME2	8341	
	0	1	AME3	8841	
	0	2	AMEAN	8841	
	0	1	AT1	8341	
	0	3	AT2	8341	
	0	2	AT3	8841	
	0	1	PRC		
	0	2	PR1		
	0	2	PR2		
	0	2	PR3		
	0	4	PRAN		
SELRES	2	0	1310		

ACTIVITY TOTAL:

13 22

II.A.1.b. BILLETS REQUIRED FOR OPERATIONAL AND FLEET SUPPORT ACTIVITIES

ACTIVITY, UIC, PHASING INCREMENT	BILLETS		DESIG/ RATING	PNEC/ PMOS	SNEC/ SMOS
	OFF	ENL			
VX-30 NAWCWD, China Lake, 55646, FY05 Increment					
ACDU	39	0	1312		
	7	0	1322		
	0	2	AMEAN	8841	
	0	3	AT2	8341	
	0	1	AT3	8841	
	0	1	ATAN	8841	
	0	1	PR1		
	0	1	PR2		
	0	2	PR3		
	0	2	PRAN		
ACTIVITY TOTAL:	46	13			

II.A.1.c. TOTAL BILLETS REQUIRED FOR OPERATIONAL AND FLEET SUPPORT ACTIVITIES

DESIG/ RATING	PNEC/SNEC PMOS/SMOS	PFYs		CFY02		FY03		FY04		FY05		FY06	
		OFF	ENL	OFF	ENL	OFF	ENL	OFF	ENL	OFF	ENL	OFF	ENL
USN OPERATIONAL ACTIVITIES - ACDU													
1301		0		2		2		2		0		4	
1302		0		0		0		0		0		0	
1311		0		35		35		52		34		53	
1312		0		0		0		0		0		0	
1321		0		18		18		18		0		36	
1322		0		0		0		0		0		0	
AMEC	8341		0		2		2		3		2		3
AME1	8341		0		4		4		6		4		6
AME2	8341		0		8		8		12		8		12
AME3	8841		0		4		4		6		4		6
AMEAN	8841		0		5		5		7		4		8
ATC	8341		0		2		2		3		2		3
AT1	8341		0		5		5		8		6		7
AT2	8341		0		9		9		14		10		13
AT3	8841		0		10		10		15		10		15
ATAN	8841		0		12		12		19		14		17
PR1			0		2		2		3		2		3
PR2			0		3		3		4		2		5
PR3			0		2		2		3		2		3
PRAN			0		1		3		3		2		3
PRAN			0		1		3		3		2		3
USN FLEET SUPPORT ACTIVITIES - ACDU													
1302		0		0		0		0		1		0	
1310		0		0		0		0		1		0	
1312		0		0		0		0		48		0	
1322		0		0		0		0		7		0	
AME1	8341		0		0		0		0		1		0
AME2	8341		0		0		0		0		1		0
AME3	8841		0		0		0		0		1		0
AMEAN	8841		0		0		0		0		4		0
AT1	8341		0		0		0		0		1		0
AT2	8341		0		0		0		0		6		0
AT3	8841		0		0		0		0		3		0
ATAN	8841		0		0		0		0		1		0
PRC			0		0		0		0		1		0
PR1			0		0		0		0		3		0
PR2			0		0		0		0		3		0
PR3			0		0		0		0		4		0
PRAN			0		0		0		0		6		0
USN FLEET SUPPORT ACTIVITIES - SELRES													
1310		0		0		0		0		2		0	

II.A.1.c. TOTAL BILLETS REQUIRED FOR OPERATIONAL AND FLEET SUPPORT ACTIVITIES

DESIG/ RATING	PNEC/SNEC PMOS/SMOS	PFYs		CFY02		FY03		FY04		FY05		FY06	
		OFF	ENL	OFF	ENL	OFF	ENL	OFF	ENL	OFF	ENL	OFF	ENL

SUMMARY TOTALS:

USN OPERATIONAL ACTIVITIES - ACDU

		0	0	55	69	55	71	72	106	34	72	93	104
			0		1		3		3		2		3

USN FLEET SUPPORT ACTIVITIES - ACDU

		0	0	0	0	0	0	0	0	57	35	0	0
--	--	---	---	---	---	---	---	---	---	----	----	---	---

USN FLEET SUPPORT ACTIVITIES - SELRES

		0		0		0		0		2		0	
--	--	---	--	---	--	---	--	---	--	---	--	---	--

GRAND TOTALS:

USN - ACDU

		0	0	55	70	55	74	72	109	91	109	93	107
--	--	---	---	----	----	----	----	----	-----	----	-----	----	-----

USN - SELRES

		0		0		0		0		2		0	
--	--	---	--	---	--	---	--	---	--	---	--	---	--

II.A.3. TRAINING ACTIVITIES INSTRUCTOR AND SUPPORT BILLET REQUIREMENTS

DESIG RATING	PNEC/SNEC PMOS/SMOS		PFYs OFF ENL		CFY02 OFF ENL		FY03 OFF ENL		FY04 OFF ENL		FY05 OFF ENL		FY06 OFF ENL	

Note: All instructor billets are currently onboard. No new instructor billets have been identified by this NTSP.

TRAINING ACTIVITY, LOCATION, UIC: MTU 1038 NAMTRAU Lemoore, 66060

INSTRUCTOR BILLETS

USN														
AME1	8341	9502	0	2	0	2	0	2	0	2	0	2	0	2
AME2	8341	9502	0	1	0	1	0	1	0	1	0	1	0	1
ATC	8341	9502	0	2	0	2	0	2	0	2	0	2	0	2
AT1	8341	9502	0	6	0	6	0	6	0	6	0	6	0	6
AT2	8341	9502	0	2	0	2	0	2	0	2	0	2	0	2

SUPPORT BILLETS

USN														
ATC	8341		0	1	0	1	0	1	0	1	0	1	0	1
AT2	8341		0	1	0	1	0	1	0	1	0	1	0	1
TOTAL:			0	15	0	15	0	15	0	15	0	15	0	15

TRAINING ACTIVITY, LOCATION, UIC: NATTC Pensacola, 63093

INSTRUCTOR BILLETS

USN														
PRCS		9502	0	1	0	1	0	1	0	1	0	1	0	1
PRC		9502	0	3	0	3	0	3	0	3	0	3	0	3
PR1		9502	0	6	0	6	0	6	0	6	0	6	0	6
PR2		9502	0	1	0	1	0	1	0	1	0	1	0	1

SUPPORT BILLETS

USN														
PRCM		9502	0	1	0	1	0	1	0	1	0	1	0	1
TOTAL:			0	12	0	12	0	12	0	12	0	12	0	12

II.A.4. CHARGEABLE STUDENT BILLET REQUIREMENTS

ACTIVITY, LOCATION, UIC	USN/ USMC	PFYs		CFY02		FY03		FY04		FY05		FY06	
		OFF	ENL	OFF	ENL	OFF	ENL	OFF	ENL	OFF	ENL	OFF	ENL
MTU 1038 NAMTRAU Lemoore, 66060	USN	0.0	0.0	0.0	13.8	0.0	18.1	0.0	22.9	0.0	27.6	0.0	35.3
SUMMARY TOTALS:													
	USN	0.0	0.0	0.0	13.8	0.0	18.1	0.0	22.9	0.0	27.6	0.0	35.3
GRAND TOTALS:													
		0.0	0.0	0.0	13.8	0.0	18.1	0.0	22.9	0.0	27.6	0.0	35.3

II.A.5. ANNUAL INCREMENTAL AND CUMULATIVE BILLETS

DESIG/ RATING	PNEC/ PMOS	SNEC/ SMOS	BILLET BASE	CFY02		FY03		FY04		FY05		FY06	
				+/-	CUM	+/-	CUM	+/-	CUM	+/-	CUM	+/-	CUM

a. OFFICER - USN

Operational Billets ACDU and TAR

1301			0	2	2	2	4	2	6	0	6	4	10
1302			0	0	0	0	0	0	0	0	0	0	0
1311			0	35	35	35	70	52	122	34	156	53	209
1312			0	0	0	0	0	0	0	0	0	0	0
1321			0	18	18	18	36	18	54	0	54	36	90
1322			0	0	0	0	0	0	0	0	0	0	0

Fleet Support Billets ACDU and TAR

1302			0	0	0	0	0	0	0	1	1	0	1
1310			0	0	0	0	0	0	0	1	1	0	1
1312			0	0	0	0	0	0	0	48	48	0	48
1322			0	0	0	0	0	0	0	7	7	0	7

SELRES Billets

1310			0	0	0	0	0	0	0	2	2	0	2
------	--	--	---	---	---	---	---	---	---	---	---	---	---

TOTAL USN OFFICER BILLETS:

Operational			0	55	55	55	110	72	182	34	216	93	309
Fleet Support			0	0	0	0	0	0	0	57	57	0	57
SELRES			0	0	0	0	0	0	0	2	2	0	2

b. ENLISTED - USN

Operational Billets ACDU and TAR

AMEC	8341		0	2	2	2	4	3	7	2	9	3	12
AME1	8341		0	4	4	4	8	6	14	4	18	6	24
AME2	8341		0	8	8	8	16	12	28	8	36	12	48
AME3	8841		0	4	4	4	8	6	14	4	18	6	24
AMEAN	8841		0	5	5	5	10	7	17	4	21	8	29
ATC	8341		0	2	2	2	4	3	7	2	9	3	12
AT1	8341		0	5	5	5	10	8	18	6	24	7	31
AT2	8341		0	9	9	9	18	14	32	10	42	13	55
AT3	8841		0	10	10	10	20	15	35	10	45	15	60
ATAN	8841		0	12	12	12	24	19	43	14	57	17	74
PR1			0	2	2	2	4	3	7	2	9	3	12
PR2			0	3	3	3	6	4	10	2	12	5	17
PR3			0	2	2	2	4	3	7	2	9	3	12
PRAN			0	1	1	3	4	3	7	2	9	3	12
PRAN			0	1	1	3	4	3	7	2	9	3	12

II.A.5. ANNUAL INCREMENTAL AND CUMULATIVE BILLETS

DESIG/ RATING	PNEC/ PMOS	SNEC/ SMOS	BILLET BASE	CFY02		FY03		FY04		FY05		FY06	
				+/-	CUM	+/-	CUM	+/-	CUM	+/-	CUM	+/-	CUM
Fleet Support Billets ACDU and TAR													
AME1	8341		0	0	0	0	0	0	0	1	1	0	1
AME2	8341		0	0	0	0	0	0	0	1	1	0	1
AME3	8841		0	0	0	0	0	0	0	1	1	0	1
AMEAN	8841		0	0	0	0	0	0	0	4	4	0	4
AT1	8341		0	0	0	0	0	0	0	1	1	0	1
AT2	8341		0	0	0	0	0	0	0	6	6	0	6
AT3	8841		0	0	0	0	0	0	0	3	3	0	3
ATAN	8841		0	0	0	0	0	0	0	1	1	0	1
PRC			0	0	0	0	0	0	0	1	1	0	1
PR1			0	0	0	0	0	0	0	3	3	0	3
PR2			0	0	0	0	0	0	0	3	3	0	3
PR3			0	0	0	0	0	0	0	4	4	0	4
PRAN			0	0	0	0	0	0	0	6	6	0	6
Staff Billets ACDU and TAR													
AME1	8341	9502	2	0	2	0	2	0	2	0	2	0	2
AME2	8341	9502	1	0	1	0	1	0	1	0	1	0	1
ATC	8341		1	0	1	0	1	0	1	0	1	0	1
ATC	8341	9502	2	0	2	0	2	0	2	0	2	0	2
AT1	8341	9502	6	0	6	0	6	0	6	0	6	0	6
AT2	8341		1	0	1	0	1	0	1	0	1	0	1
AT2	8341	9502	2	0	2	0	2	0	2	0	2	0	2
PRCM		9502	1	0	1	0	1	0	1	0	1	0	1
PRCS		9502	1	0	1	0	1	0	1	0	1	0	1
PRC		9502	3	0	3	0	3	0	3	0	3	0	3
PR1		9502	6	0	6	0	6	0	6	0	6	0	6
PR2		9502	1	0	1	0	1	0	1	0	1	0	1
Chargeable Student Billets ACDU and TAR													
			0	14	14	5	19	4	23	5	28	8	36
TOTAL USN ENLISTED BILLETS:													
Operational			0	69	69	71	140	106	246	72	318	104	422
			0	1	1	3	4	3	7	2	9	3	12
Fleet Support			0	0	0	0	0	0	0	35	35	0	35
Staff			27	0	27	0	27	0	27	0	27	0	27
Chargeable Student			0	14	14	5	19	4	23	5	28	8	36

II.A.5. ANNUAL INCREMENTAL AND CUMULATIVE BILLETS

DESIG/ RATING	PNEC/ PMOS	SNEC/ SMOS	BILLET BASE	CFY02 +/- CUM	FY03 +/- CUM	FY04 +/- CUM	FY05 +/- CUM	FY06 +/- CUM
------------------	---------------	---------------	----------------	------------------	-----------------	-----------------	-----------------	-----------------

c. OFFICER - USMC Not Applicable

d. ENLISTED - USMC Not Applicable

II.B. ANNUAL TRAINING INPUT REQUIREMENTS

CIN, COURSE TITLE: E-102-0623, F/A-18E/F Avionics System (Initial) Organizational Maintenance
COURSE LENGTH: 8.8 Weeks **NAVY TOUR LENGTH:** 36 Months
ATTRITION FACTOR: Navy: 10% **BACKOUT FACTOR:** 0.18

TRAINING ACTIVITY	SOURCE	ACDU/TAR SELRES	CFY02		FY03		FY04		FY05		FY06	
			OFF	ENL	OFF	ENL	OFF	ENL	OFF	ENL	OFF	ENL
MTU 1038 NAMTRAU Lemoore												
	USN	ACDU		41		55		71		85		110
		TOTAL:		41		55		71		85		110

CIN, COURSE TITLE: E-102-0624, F/A-18E/F Avionics System (Career) Organizational Maintenance
COURSE LENGTH: 4.4 Weeks **NAVY TOUR LENGTH:** 36 Months
ATTRITION FACTOR: Navy: 10% **BACKOUT FACTOR:** 0.09

TRAINING ACTIVITY	SOURCE	ACDU/TAR SELRES	CFY02		FY03		FY04		FY05		FY06	
			OFF	ENL	OFF	ENL	OFF	ENL	OFF	ENL	OFF	ENL
MTU 1038 NAMTRAU Lemoore												
	USN	ACDU		22		27		34		42		51
		TOTAL:		22		27		34		42		51

CIN, COURSE TITLE: E-620-0664, F/A-18E/F Environmental Control System and Safety Equipment (Initial) Organizational Maintenance
COURSE LENGTH: 4.6 Weeks **NAVY TOUR LENGTH:** 36 Months
ATTRITION FACTOR: Navy: 10% **BACKOUT FACTOR:** 0.09

TRAINING ACTIVITY	SOURCE	ACDU/TAR SELRES	CFY02		FY03		FY04		FY05		FY06	
			OFF	ENL	OFF	ENL	OFF	ENL	OFF	ENL	OFF	ENL
MTU 1038 NAMTRAU Lemoore												
	USN	ACDU		25		34		42		49		64
		TOTAL:		25		34		42		49		64

CIN, COURSE TITLE: E-102-0625, F/A-18E/F Avionics System (Difference) Organizational Maintenance
COURSE LENGTH: 4.4 Weeks **NAVY TOUR LENGTH:** 36 Months
ATTRITION FACTOR: Navy: 10% **BACKOUT FACTOR:** 0.09

TRAINING ACTIVITY	SOURCE	ACDU/TAR SELRES	CFY02		FY03		FY04		FY05		FY06	
			OFF	ENL	OFF	ENL	OFF	ENL	OFF	ENL	OFF	ENL
MTU 1038 NAMTRAU Lemoore												
	USN	ACDU		44		57		72		86		112
		TOTAL:		44		57		72		86		112

PART III - TRAINING REQUIREMENTS

The following elements are not affected by the JHMCS and, therefore, are not included in Part III of this NTSP:

III.A.2. Follow-on Training

III.A.2.c. Unique Courses

III.A.3. Existing Training Phased Out

Note (1): The NTSP is not used to calculate training requirements for Class A1 schools due to fluctuations in recruiting level requirements. Therefore, the PR "A" School course, CIN C-602-2035, is not included in Part III of this NTSP. However, the initial cadre training being provided for the PR "A" School is included in Part III.A.1.

Note (2): The billets listed in Part II of this NTSP reflect only those required for operation and maintenance support of the JHMCS and are not a reflection of the total squadron end strength. However, the source billets identified are those required to completely calculate anticipated training requirements relating to JHMCS curricula. Single site training for the F/A-18E/F platform and gradual phase-in of students coinciding with the aircraft transition schedule has been taken into account.

PART III - TRAINING REQUIREMENTS

III.A.1. INITIAL TRAINING REQUIREMENTS

COURSE TITLE: JHMCS Initial Cadre Training (LRIP III Contract)
COURSE DEVELOPER: The Boeing Company
COURSE INSTRUCTOR: The Boeing Company
COURSE LENGTH: 2 Days
ACTIVITY DESTINATIONS: NAMTRAU Group 1
 NAMTRAU Group 2

LOCATION, UIC	BEGIN DATE	STUDENTS			CIV
		OFF	ENL		
NAS Lemoore, 66060	Feb 02		8		Input
			0.0		AOB
			0		Chargeable

ACTIVITY DESTINATIONS: VFA-102

LOCATION, UIC	BEGIN DATE	STUDENTS			CIV
		OFF	ENL		
NAS Lemoore, 09717	Sep 02		35		Input
			0.2		AOB
			0.2		Chargeable

ACTIVITY DESTINATIONS: VFA-27

LOCATION, UIC	BEGIN DATE	STUDENTS			CIV
		OFF	ENL		
NAF Atsugi, Japan, 65185	Sep 03	0	37	0	Input
		.	0.2		AOB
		0	37		Chargeable

COURSE TITLE: JHMCS Initial Cadre Training (LRIP I Contract)
COURSE DEVELOPER: The Boeing Company
COURSE INSTRUCTOR: The Boeing Company
COURSE LENGTH: 3 Days
ACTIVITY DESTINATIONS: NATTC Pensacola Group 1
 NATTC Pensacola Group 2

LOCATION, UIC	BEGIN DATE	STUDENTS			CIV
		OFF	ENL		
NAS Pensacola, 63093	Jun 03		6		Input
			0.0		AOB
			0		Chargeable

III.A.2. FOLLOW-ON TRAINING

III.A.2.a. EXISTING COURSES

CIN, COURSE TITLE: E-102-0623, F/A-18E/F Avionics System (Initial) Organizational Maintenance
TRAINING ACTIVITY: MTU 1038 NAMTRAU
LOCATION, UIC: NAS Lemoore, 66060

SOURCE: USN **STUDENT CATEGORY:** ACDU - TAR

CFY02		FY03		FY04		FY05		FY06		
OFF	ENL	OFF	ENL	OFF	ENL	OFF	ENL	OFF	ENL	
	41		55		71		85		110	ATIR
	37		49		64		77		99	Output
	6.5		8.7		11.2		13.4		17.2	AOB
	6.5		8.7		11.2		13.4		17.2	Chargeable

CIN, COURSE TITLE: E-102-0624, F/A-18E/F Avionics System (Career) Organizational Maintenance
TRAINING ACTIVITY: MTU 1038 NAMTRAU
LOCATION, UIC: NAS Lemoore, 66060

SOURCE: USN **STUDENT CATEGORY:** ACDU - TAR

CFY02		FY03		FY04		FY05		FY06		
OFF	ENL	OFF	ENL	OFF	ENL	OFF	ENL	OFF	ENL	
	22		27		34		42		51	ATIR
	20		24		31		38		46	Output
	1.8		2.2		2.7		3.4		4.1	AOB
	1.8		2.2		2.7		3.4		4.1	Chargeable

CIN, COURSE TITLE: E-620-0664, F/A-18E/F Environmental Control System and Safety Equipment (Initial) Organizational Maintenance
TRAINING ACTIVITY: MTU 1038 NAMTRAU
LOCATION, UIC: NAS Lemoore, 66060

SOURCE: USN **STUDENT CATEGORY:** ACDU - TAR

CFY02		FY03		FY04		FY05		FY06		
OFF	ENL	OFF	ENL	OFF	ENL	OFF	ENL	OFF	ENL	
	25		34		42		49		64	ATIR
	23		31		38		44		58	Output
	2.0		2.7		3.3		3.9		5.1	AOB
	2.0		2.7		3.3		3.9		5.1	Chargeable

III.A.2.b. PLANNED COURSES

CIN, COURSE TITLE: E-102-0625, F/A-18E/F Avionics System (Difference) Organizational Maintenance

TRAINING ACTIVITY: MTU 1038 NAMTRAU

LOCATION, UIC: NAS Lemoore, 66060

SOURCE: USN

STUDENT CATEGORY: ACDU - TAR

CFY02		FY03		FY04		FY05		FY06		
OFF	ENL	OFF	ENL	OFF	ENL	OFF	ENL	OFF	ENL	
	44		57		72		86		112	ATIR
	40		51		65		77		101	Output
	3.5		4.5		5.7		6.9		8.9	AOB
	3.5		4.5		5.7		6.9		8.9	Chargeable

PART IV - TRAINING LOGISTICS SUPPORT REQUIREMENTS

The following elements are not affected by the JHMCS and, therefore, are not included in Part IV of this NTSP:

IV.C. Facility Requirements

IV.C.1. Facility Requirements Summary (Space/Support) by Activity

IV.C.2. Facility Requirements Detailed by Activity and Course

IV.C.3. Facility Project Summary by Program

Note: The identification of training logistics support requirements is critical to the timely and effective establishment of training. Therefore, the logistics requirements supporting JHMCS training in the PR "A" School course, CIN C-602-2035, are included in Part IV of this NTSP.

PART IV - TRAINING LOGISTICS SUPPORT REQUIREMENTS

IV.A. TRAINING HARDWARE

IV.A.1. TTE / GPTE / SPTE / ST / GPETE / SPETE

CIN, COURSE TITLE: C-102-9977, F/A-18E/F Avionics System (Initial) Organizational Maintenance (Track E-102-0623)

TRAINING ACTIVITY: MTU 1038 NAMTRAU

LOCATION, UIC: NAS Lemoore, 66060

ITEM NO.	EQUIPMENT / TYPE OR RANGE OF REPAIR PARTS	QTY REQD	DATE REQD	GFE CFE	STATUS
TTE					
001	JHMCS HGU-55/P Helmet Assembly	1	Feb 02	GFE	Pending
ST					
003	Key Set, Hex, 10, Short, Part No. 601	1	Feb 02	GFE	Pending
004	Torque Screwdriver and Bit Set, Part No. KIT-1	1	Feb 02	GFE	Pending
013	Flashlight, 3 Cell	2	Feb 02	GFE	Onboard
016	Pliers, Needle Nose, 6-1/2", with Side Cut, Part No. G243085-1	1	Feb 02	GFE	Onboard
017	Program Loader, Part No. 3359AS2000-1 Mock Up	1	Feb 02	GFE	Onboard
018	Cable Set, MLVS, Part No. 3359AS853 Mock Up	1	Feb 02	GFE	Onboard
019	Mirror, Inspection, 2-1/4" diameter x 13-1/2"	1	Feb 02	GFE	Onboard
020	Screwdriver, Flat Tip, 1/4" x 6"	1	Feb 02	GFE	Onboard
GPETE					
001	Adapter Kit, TDR, Part No. 74D420048-1001	1	Feb 02	GFE	Onboard
002	Time Domain Reflectometer, Part No. 1502COPT03-04	1	Feb 02	GFE	Onboard
003	Multimeter, Digital, Part No. 77/BN	1	Feb 02	GFE	Onboard
SPETE					
001	Test Set, HMD with Cables, Part No. 620900-02-00	1	Feb 02	GFE	Pending
002	Laptop Computer, HMD Test Set with Test Software	1	Feb 02	GFE	Pending

IV.A.1. TTE / GPTE / SPTE / ST / GPETE / SPETE

CIN, COURSE TITLE: C-102-9978, F/A-18E/F Avionics System (Career) Organizational Maintenance (Track E-102-0624)

TRAINING ACTIVITY: MTU 1038 NAMTRAU

LOCATION, UIC: NAS Lemoore, 66060

ITEM NO.	EQUIPMENT / TYPE OR RANGE OF REPAIR PARTS	QTY REQD	DATE REQD	GFE CFE	STATUS
TTE					
001	JHMCS HGU-55/P Helmet Assembly	1	Feb 02	GFE	Pending
ST					
003	Key Set, Hex, 10, Short, Part No. 601	1	Feb 02	GFE	Pending
004	Torque Screwdriver and Bit Set, Part No. KIT-1	1	Feb 02	GFE	Pending
013	Flashlight, 3 Cell	2	Feb 02	GFE	Onboard
016	Pliers, Needle Nose, 6 1/2", with Side Cut, Part No. G243085-1	1	Feb 02	GFE	Onboard
017	Program Loader, Part No. 3359AS2000-1 Mock Up	1	Feb 02	GFE	Onboard
018	Cable Set, MLVS, Part No. 3359AS853 Mock Up	1	Feb 02	GFE	Onboard
019	Mirror, Inspection, 2-1/4" diameter x 13-1/2"	1	Feb 02	GFE	Onboard
020	Screwdriver, Flat Tip, 1/4" x 6"	1	Feb 02	GFE	Onboard
GPETE					
001	Adapter Kit, TDR, Part No. 74D420048-1001	1	Feb 02	GFE	Onboard
002	Time Domain Reflectometer, Part No. 1502COPT03-04	1	Feb 02	GFE	Onboard
003	Multimeter, Digital, Part No. 77/BN	1	Feb 02	GFE	Onboard
SPETE					
001	Test Set, HMD with Cables, Part No. 620900-02-00	1	Feb 02	GFE	Pending
002	Laptop Computer, HMD Test Set with Test Software	1	Feb 02	GFE	Pending

CIN, COURSE TITLE: C-602-9980, F/A-18E/F Environmental Control System and Safety Equipment (Initial) Organizational Maintenance (Track E-620-0664)

TRAINING ACTIVITY: MTU 1038 NAMTRAU

LOCATION, UIC: NAS Lemoore, 66060

ITEM NO.	EQUIPMENT / TYPE OR RANGE OF REPAIR PARTS	QTY REQD	DATE REQD	GFE CFE	STATUS
TTE					
008	Seat Position Sensor	1	Feb 02	GFE	Pending

IV.A.1. TTE / GPTE / SPTE / ST / GPETE / SPETE

ST

004	Torque Screwdriver and Bit Set, Part No. KIT-1	1	Feb 02	GFE	Pending
005	Plugs, Blanking, Trombone Tubes, Part No. 2021AS105-1	1	Feb 02	GFE	Onboard
006	Plugs, Blanking, Ballistic Manifolds, Part No. 2021AS118-1	1	Feb 02	GFE	Onboard
007	Protector, Seat Bucket, Part No. 2021AS187-1	1	Feb 02	GFE	Onboard
008	Handles, Seat Bucket Lifting, Part No. 2021AS218-1	1	Feb 02	GFE	Onboard
009	Handle, 3/8" Drive, Socket, Reversible, QR	1	Feb 02	GFE	Onboard
010	Socket, 3/8" Drive, 5/8", #20 Spline	1	Feb 02	GFE	Onboard
011	Torque Wrench, 3/8" Drive, 0-600 Lb-In	1	Feb 02	GFE	Onboard
012	Handle, 1/4" Drive, Socket, Reversible	1	Feb 02	GFE	Onboard
013	Flashlight, 3 Cell	2	Feb 02	GFE	Onboard
014	Socket, 1/4" Drive to HTS-2 Hi-Torque	1	Feb 02	GFE	Onboard
015	Tool, Release, Ball-lok Pin, Part No. MBEU69494	1	Feb 02	GFE	Onboard

CIN, COURSE TITLE: C-602-2035, Aircrew Survival Equipmentman Common Core Class A1

TRAINING ACTIVITY: NATTC

LOCATION, UIC: NAS Pensacola, 63093

ITEM NO.	EQUIPMENT / TYPE OR RANGE OF REPAIR PARTS	QTY REQD	DATE REQD	GFE CFE	STATUS
TTE					
001	JHMCS HGU-55/P Helmet Assembly	2	Oct 03	GFE	Pending
002	JHMCS Helmet Display Unit	2	Oct 03	GFE	Pending
003	JHMCS Visor, High Contrast with Visor Tangs and Receivers	2	Oct 03	GFE	Pending
004	HGU-55/P Bungee Visor (Non-JHMCS)	16	Oct 03	GFE	Pending
005	JHMCS HVI, Upper	2	Oct 03	GFE	Pending
006	JHMCS Visor Trimming Template	2	Oct 03	CFE	Pending
007	JHMCS Quick Disconnect Mounting Bracket (QMB)	1	Oct 03	GFE	Pending
ST					
001	Hi-Torque, 1/4" Drive to #3 Hi-Torque, Part No. HTS3	2	Oct 03	GFE	Pending
002	Screwdriver, Phillips #2, 6"	2	Oct 03	GFE	Pending

IV.A.1. TTE / GPTE / SPTE / ST / GPETE / SPETE

004 Torque Screwdriver and Bit Set, Part No. KIT-1 1 Oct 03 GFE Pending

SPETE

001 Test Set, HMD with Cables, Part No. 620900-02-00 2 Oct 03 GFE Pending

002 Laptop Computer, HMD Test Set with Test Software 2 Oct 03 GFE Pending

CIN, COURSE TITLE: C-102-9979, F/A-18E/F Avionics System (Difference) Organizational Maintenance (Track E-102-0625)

TRAINING ACTIVITY: MTU 1038 NAMTRAU

LOCATION, UIC: NAS Lemoore, 66060

ITEM NO.	EQUIPMENT / TYPE OR RANGE OF REPAIR PARTS	QTY REQD	DATE REQD	GFE CFE	STATUS
TTE					
001	JHMCS HGU-55/P Helmet Assembly	1	Feb 02	GFE	Pending
ST					
003	Key Set, Hex, 10, Short, Part No. 601	1	Feb 02	GFE	Pending
004	Torque Screwdriver and Bit Set, Part No. KIT-1	1	Feb 02	GFE	Pending
013	Flashlight, 3 Cell	2	Feb 02	GFE	Onboard
016	Pliers, Needle Nose, 6 1/2", with Side Cut, Part No. G243085-1	1	Feb 02	GFE	Onboard
017	Program Loader, Part No. 3359AS2000-1	1	Feb 02	GFE	Pending
018	Cable Set, MLVS, Part No. 3359AS853	1	Feb 02	GFE	Pending
019	Mirror, Inspection, 2-1/4" diameter x 13-1/2"	1	Feb 02	GFE	Onboard
020	Screwdriver, Flat Tip, 1/4" x 6"	1	Feb 02	GFE	Onboard
GPETE					
001	Adapter Kit, TDR, Part No. 74D420048-1001	1	Feb 02	GFE	Onboard
002	Time Domain Reflectometer, Part No. 1502COPT03-04	1	Feb 02	GFE	Onboard
003	Multimeter, Digital, Part No. 77/BN	1	Feb 02	GFE	Onboard
SPETE					
001	Test Set, HMD with Cables, Part No. 620900-02-00	1	Feb 02	GFE	Pending
002	Laptop Computer, HMD Test Set with Test Software	1	Feb 02	GFE	Pending

IV.A.2. TRAINING DEVICES

DEVICE: TD-05 Avionics System MTS (MTS-1)
DESCRIPTION: This Training Device is an F/A-18E/F Avionics Maintenance Training Simulator, physically configured to be an accurate replication of an F/A-18E single place crew station and forward fuselage. The device provides a three-dimensional, realistic representation of the avionics WRA locations, and the simulated forward fuselage provides realistic access to components and connectors. A common crew station provides all related controls and displays. Discrepancies are simulated via computer controlled interface instead of using pre-faulted modules. Installed components are non-functional mock-up boxes instead of actual components. The device enables the instructor to simulate discrepancies on multiple avionics systems as an instructional aid for effective troubleshooting techniques, and removal and installation procedures.

MANUFACTURER: The Boeing Company
CONTRACT NUMBER: N61339-00-C-0069
TEE STATUS: TBD

TRAINING ACTIVITY: MTU 1038 NAMTRAU
LOCATION, UIC: NAS Lemoore, 66060

QTY REQD	DATE REQD	RFT DATE	STATUS	COURSES SUPPORTED
1	Dec 02	Sep 03	Onboard	C-102-9977 (Track E-102-0623) C-102-9978 (Track E-102-0624) C-102-9979 (Track E-102-0625)

DEVICE: 960182-1202-01 Ejection Seat NAMT
DESCRIPTION: This Training Device is an F/A-18E/F Egress System Maintenance Training Simulator, physically configured to be an accurate replication of an F/A-18E single place crew station and forward fuselage. The device provides a three-dimensional, realistic representation of the NACES ejection seat, and the simulated forward fuselage provides realistic access to components and connectors. A common crew station provides all related controls. The device enables the instructor to simulate discrepancies on NACES ejection seat systems as an instructional aid for effective troubleshooting techniques, and removal and installation procedures. The device requires modification to incorporate only the SPS assembly to accommodate the JHMCS.

MANUFACTURER: McDonnell Douglas Aircraft
CONTRACT NUMBER: N00019-90-C-0010
TEE STATUS: TBD

TRAINING ACTIVITY: MTU 1038 NAMTRAU
LOCATION, UIC: NAS Lemoore, 66060

QTY REQD	DATE REQD	RFT DATE	STATUS	COURSES SUPPORTED
01	Feb 02	Aug 02	Onboard	C-602-9980 (Track E-620-0664)

IV.B. COURSEWARE REQUIREMENTS

IV.B.1. TRAINING SERVICES

COURSE / TYPE OF TRAINING	SCHOOL LOCATION, UIC	NO. OF PERSONNEL	MAN WEEKS REQUIRED	DATE BEGIN
JHMCS Initial Cadre Training (LRIP III Contract)	NAS Lemoore, 09717	35	14.0	Sep 02
JHMCS Initial Cadre Training (LRIP III Contract)	NAF Atsugi, Japan, 65185	37	14.8	Sep 03
JHMCS Initial Cadre Training (LRIP III Contract)	NAS Lemoore, 66060	7	2.8	Aug 02
JHMCS Initial Cadre Training (LRIP III Contract)	NAS Lemoore, 66060	8	3.2	Feb 02
JHMCS Initial Cadre Training (LRIP I Contract)	NAS Pensacola, 63093	6	3.6	Aug 03
JHMCS Initial Cadre Training (LRIP I Contract)	NAS Pensacola, 63093	6	3.6	Jun 03

IV.B.2. CURRICULA MATERIALS AND TRAINING AIDS

CIN, COURSE TITLE: C-102-9977, F/A-18E/F Avionics System (Initial) Organizational Maintenance (Track E-102-0623)

TRAINING ACTIVITY: MTU 1038 NAMTRAU

LOCATION, UIC: NAS Lemoore, 66060

TYPES OF MATERIAL OR AID	QTY REQD	DATE REQD	STATUS
Trainee Guide	8	Feb 02	Pending

CIN, COURSE TITLE: C-102-9978, F/A-18E/F Avionics System (Career) Organizational Maintenance (Track E-102-0624)

TRAINING ACTIVITY: MTU 1038 NAMTRAU

LOCATION, UIC: NAS Lemoore, 66060

TYPES OF MATERIAL OR AID	QTY REQD	DATE REQD	STATUS
Trainee Guide	8	Feb 02	Pending

CIN, COURSE TITLE: C-602-9980, F/A-18E/F Environmental Control System and Safety Equipment (Initial) Organizational Maintenance (Track E-620-0664)

TRAINING ACTIVITY: MTU 1038 NAMTRAU

LOCATION, UIC: NAS Lemoore, 66060

TYPES OF MATERIAL OR AID	QTY REQD	DATE REQD	STATUS
Trainee Guide	8	Feb 02	Pending

CIN, COURSE TITLE: C-602-2035, Aircrew Survival Equipmentman Common Core Class A1

TRAINING ACTIVITY: NATTC

LOCATION, UIC: Pensacola, 63093

TYPES OF MATERIAL OR AID	QTY REQD	DATE REQD	STATUS
PowerPoint Overhead Slides	2	Oct 03	Pending
Trainee Guide	16	Oct 03	Pending

CIN, COURSE TITLE: E-102-0625, F/A-18E/F Avionics System (Difference) Organizational Maintenance

TRAINING ACTIVITY: MTU 1038 NAMTRAU

LOCATION, UIC: NAS Lemoore, 66060

TYPES OF MATERIAL OR AID	QTY REQD	DATE REQD	STATUS
Trainee Guide	8	Feb 02	Pending

CIN, COURSE TITLE: C-102-9979, F/A-18E/F Avionics System (Difference) Organizational Maintenance (Track E-102-0625)

TRAINING ACTIVITY: MTU 1038 NAMTRAU

LOCATION, UIC: NAS Lemoore, 66060

TYPES OF MATERIAL OR AID	QTY REQD	DATE REQD	STATUS
Trainee Guide	8	Feb 02	Pending

IV.B.3. TECHNICAL MANUALS

CIN, COURSE TITLE: C-102-9977, F/A-18E/F Avionics System (Initial) Organizational Maintenance (Track E-102-0623)
TRAINING ACTIVITY: MTU 1038 NAMTRAU
LOCATION, UIC: NAS Lemoore, 66060

TECHNICAL MANUAL NUMBER / TITLE	MEDIUM	QTY REQD	DATE REQD	STATUS
A1-F18EA-747-500 Organizational Maintenance System Schematics Joint Helmet Mounted Cueing System Navy Model F/A-18E and F/A-18F 165860 and Up	CD ROM	1	Jan 02	Onboard
A1-F18EA-WUC-800 Work Unit Code F/A-18E/F	CD ROM	1	Jan 02	Onboard
A1-F18EF-IETM F/A-18E/F Interactive Electronic Technical Manual Version 4.5.1.1	CD ROM	1	Jan 02	Onboard
OPNAV 4790.2H Naval Aviation Maintenance Program	CD ROM	1	Jan 02	Onboard

CIN, COURSE TITLE: C-102-9978, F/A-18E/F Avionics System (Career) Organizational Maintenance (Track E-102-0624)
TRAINING ACTIVITY: MTU 1038 NAMTRAU
LOCATION, UIC: NAS Lemoore, 66060

TECHNICAL MANUAL NUMBER / TITLE	MEDIUM	QTY REQD	DATE REQD	STATUS
A1-F18EA-747-500 Organizational Maintenance System Schematics Joint Helmet Mounted Cueing System Navy Model F/A-18E and F/A-18F 165860 and Up	CD ROM	1	Jan 02	Onboard
A1-F18EA-WUC-800 Work Unit Code F/A-18E/F	CD ROM	1	Jan 02	Onboard
A1-F18EF-IETM F/A-18E/F Interactive Electronic Technical Manual Version 4.5.1.1	CD ROM	1	Jan 02	Onboard
NAVAIR 13-1-6.7-5 Off Aircraft Maintenance with IPB, Joint Helmet Mounted Cueing Helmet Mounted Display, Part Number 620500	CD ROM	1	Jan 02	Onboard
OPNAV 4790.2H Naval Aviation Maintenance Program	CD ROM	1	Jan 02	Onboard

IV.B.3. TECHNICAL MANUALS

CIN, COURSE TITLE: C-602-9980, F/A-18E/F Environmental Control System and Safety Equipment (Initial) Organizational Maintenance (Track E-620-0664)

TRAINING ACTIVITY: MTU 1038 NAMTRAU

LOCATION, UIC: NAS Lemoore, 66060

TECHNICAL MANUAL NUMBER / TITLE	MEDIUM	QTY REQD	DATE REQD	STATUS
A1-F18EA-WUC-800 Work Unit Code F/A-18E/F	CD ROM	1	Jan 02	Onboard
A1-F18EF-IETM F/A-18E/F Interactive Electronic Technical Manual Version 4.5.1.1	CD ROM	1	Jan 02	Onboard
NAVAIR 13-1-36 Organizational Maintenance with IPB Aircraft Ejection Seat SJU-17(V)A Series	CD ROM	1	Jan 02	Onboard
OPNAV 4790.2H Naval Aviation Maintenance Program	CD ROM	1	Jan 02	Onboard

CIN, COURSE TITLE: C-602-2035, Aircrew Survival Equipmentman Common Core Class A1

TRAINING ACTIVITY: NATTC

LOCATION, UIC: Pensacola, 63093

TECHNICAL MANUAL NUMBER / TITLE	MEDIUM	QTY REQD	DATE REQD	STATUS
NAVAIR 13-1-6.7-5 Off Aircraft Maintenance with IPB, Joint Helmet Mounted Cueing Helmet Mounted Display, Part Number 620500	CD ROM	1	Sep 03	Onboard
OPNAV 4790.2H Naval Aviation Maintenance Program	CD ROM	1	Sep 03	Onboard

CIN, COURSE TITLE: C-102-9979, F/A-18E/F Avionics System (Difference) Organizational Maintenance (Track E-102-0625)

TRAINING ACTIVITY: MTU 1038 NAMTRAU

LOCATION, UIC: NAS Lemoore, 66060

TECHNICAL MANUAL NUMBER / TITLE	MEDIUM	QTY REQD	DATE REQD	STATUS
A1-F18EA-747-500 Organizational Maintenance System Schematics Joint Helmet Mounted Cueing System Navy Model F/A-18E and F/A-18F 165860 and Up	CD ROM	1	Jan 02	Onboard
A1-F18EA-WUC-800 Work Unit Code F/A-18E/F	CD ROM	1	Jan 02	Onboard

IV.B.3. TECHNICAL MANUALS

A1-F18EF-IETM F/A-18E/F Interactive Electronic Technical Manual Version 4.5.1.1	CD ROM	1	Jan 02	Onboard
--	--------	---	--------	---------

OPNAV 4790.2H Naval Aviation Maintenance Program	CD ROM	1	Jan 02	Onboard
---	--------	---	--------	---------

PART V - MPT MILESTONES

COG CODE	MPT MILESTONES	DATE	STATUS
DA	Conduct analysis of MPT requirements	Mar 00	Completed
DA	Distribute Initial NTSP	Sep 01	Completed
OPTEVFOR	Begin OPEVAL	Sep 01	In-Process
TSA	Deliver Curricula Materials to NAMTRAU	Oct 01	Completed
TSA	Deliver TTE to NAMTRAU	Jan 02	Completed
TSA	Install TTE at NAMTRAU	Jan 02	Completed
TSA	Begin Follow-On Training	Feb 02	Completed
TSA	Begin Initial Cadre Training	Feb 02	Completed
TSA	Begin Training Services	Feb 02	Completed
TSA	Develop Draft NTSP	May 02	Completed
OPO	Program Manpower and Training Resource Requirements	Aug 02	Pending
DA	Begin Fleet Introduction	FY02	In-Process
OPO	Approve NTSP	Oct 02	Pending
TSA	Establish Training Effectiveness Evaluation Plan (TEEP)	Oct 02	Pending
TSA	Begin Training Effectiveness Evaluation (TEE) (NAMTRAU)	Jan 03	Pending
TSA	Deliver Training Devices to NAMTRAU	Jan 03	Pending
TSA	Begin Initial Training (NATTC)	Jul 03	Pending
TSA	Deliver Curricula Materials to NATTC	Jul 03	Pending
TSA	Deliver TTE to NATTC	Aug 03	Pending
TSA	Install TTE at NATTC	Sep 03	Pending
TSA	Begin Follow-on Training at NATTC	Oct 03	Pending
TSA	Begin TEE (NATTC)	Oct 04	Pending

PART VI - DECISION ITEMS / ACTION REQUIRED

DECISION ITEM OR ACTION REQUIRED	COMMAND ACTION	DUE DATE	STATUS
Begin funding for additional PR billets for Fleet squadrons according to schedule in Part II	OPNAV (N789)	Aug 02	Pending
Begin adjusting Activity Manpower Documents to include additional PR billets according to schedule in Part II	OPNAV (N12)	Oct 02	Pending

PART VII - POINTS OF CONTACT

NAME / FUNCTION / ACTIVITY, CODE / INTERNET EMAIL	TELEPHONE NUMBERS
CAPT Owen Fletcher Deputy Aviation Maintenance Programs CNO, N781B fletcher.owen@hq.navy.mil	COMM: (703) 604-7747 DSN: 664-7747 FAX: (703) 604-6972
LCDR John Dixon Resource Sponsor / Program Sponsor CNO, N785D1 dixon.john@hq.navy.mil	COMM: (703) 695-1841 DSN: 225-1841 FAX: (703) 692-7655
Mr. Dennis Churchin Resource Sponsor / Program Sponsor CNO, N785D1 churchin.dennis@hq.navy.mil	COMM: (703) 692-7689 DSN: 222-7689 FAX: (703) 692-7655
CAPT James Hart Functional Mission Sponsor CNO, N780C hart.james@hq.navy.mil	COMM: (703) 695-1427 DSN: 225-1427 FAX: (703) 602-7948
CAPT Terry Merritt Head, Aviation Technical Training Branch CNO, N789H merritt.terry@hq.navy.mil	COMM: (703) 604-7730 DSN: 664-7730 FAX: (703) 604-6939
AZCS Gary Greenlee NTSP Manager CNO, N789H7 greenlee.gary@hq.navy.mil	COMM: (703) 604-7709 DSN: 664-7709 FAX: (703) 604-6939
Mr. Robert Zweibel Training Technology Policy CNO, N795K zweibel.robert@hq.navy.mil	COMM: (703) 602-5151 DSN: 332-5151 FAX: (703) 602-5175
CDR Kevin Neary Aviation Manpower CNO, N122C1 n122c1@bupers.navy.mil	COMM: (703) 695-3247 DSN: 225-3247 FAX: (703) 614-5308
CAPT Thomas Phelan Aircrew Systems Program Manager NAVAIRSYSCOM, PMA202 phelantp@navair.navy.mil	COMM: (301) 757-6991 DSN: 757-6991 FAX: (301) 757-6995
Mr. Terry Witte Helmet-NVG Systems Program Manager NAVAIRSYSCOM, PMA202D wittetl@navair.navy.mil	COMM: (301) 757-6963 DSN: 757-6963 FAX: (301) 757-6995

PART VII - POINTS OF CONTACT

NAME / FUNCTION / ACTIVITY, CODE / INTERNET EMAIL	TELEPHONE NUMBERS
<p>AM1 Chris Dixon Training Systems Manager NAVAIRSYSCOM, PMA205-3E2 dixoncl@navair.navy.mil</p>	<p>COMM: (301) 757-8145 DSN: 757-8145 FAX: (301) 757-6941</p>
<p>Mr. Frank Glanding Aircrew Systems Assistant Program Manager, Logistics NAVAIRSYSCOM, AIR 3.1.4F glandingfj@navair.navy.mil</p>	<p>COMM: (301) 757-6985 DSN: 757-6985 FAX: (301) 757-6995</p>
<p>Mr. Patrick Murray JHMCS Program Deputy Assistant Program Manager, Logistics NAVAIRSYSCOM, AIR 3.1.4.3 murraypj@navair.navy.mil</p>	<p>COMM: (937) 656-5145 DSN: 986-5145 FAX: (937) 255-8146</p>
<p>PRCS Kevan Lee Aircrew Systems Deputy Assistant Program Manager, Logistics NAVAIRSYSCOM, AIR 3.1.4F leeka@navair.navy.mil</p>	<p>COMM: (301) 757-6605 DSN: 757-6605 FAX: (301) 757-6995</p>
<p>Mrs. Brenda Hughes Aircrew Systems Deputy Assistant Program Manager, Logistics NAVAIRSYSCOM, AIR 3.1.4F hughes_b@crane.navy.mil</p>	<p>COMM: (812) 854-5797 DSN: 482-5797 FAX: (812) 854-4753</p>
<p>Mr. Rick Lukasik JHMCS IPT Patuxent River Lead NAWCAD, 4.6.4.5 lukasikrj@navair.navy.mil</p>	<p>COMM: (301) 757-7318 DSN: 757-7318 FAX: (301) 757-6995</p>
<p>Mr. Rick James PMA202 / NAWCAD 4.6 Support Contractor KR Systems jamesrp@navair.navy.mil</p>	<p>COMM: (301) 342-8842 DSN: 342-8842 FAX: (301) 342-8493</p>
<p>PRC Charles Petty FAILSAFE Program Coordinator NAWCAD, 4.6.1.2 pettycl@navair.navy.mil</p>	<p>COMM: (301) 342-9206 DSN: 342-9206 FAX: (301) 342-8493</p>
<p>CDR Mike Hohl Aviation NTSP Point of Contact CINCLANTFLT, N731 hohlmj@clf.navy.mil</p>	<p>COMM: (757) 836-0085 DSN: 836-0085 FAX: (757) 836-6737</p>
<p>CAPT Pat Salsman Branch Head, Training Requirements and Assessments CINCLANTFLT, N72 salsmancp@clf.navy.mil</p>	<p>COMM: (757) 836-6495 DSN: 836-6495 FAX: (757) 836-6737</p>

PART VII - POINTS OF CONTACT

NAME / FUNCTION / ACTIVITY, CODE / INTERNET EMAIL	TELEPHONE NUMBERS
Mr. Bob Long Deputy Director for Training CINCPACFLT, N70 longrh@cpf.navy.mil	COMM: (808) 471-8513 DSN: 471-8513 FAX: (808) 471-8596
CAPT Patricia Huiatt Deputy Assistant, Chief of Naval Personnel for Distribution NAVPERSCOM, PERS-4B p4b@persnet.navy.mil	COMM: (901) 874-3529 DSN: 882-3529 FAX: (901) 874-2606
CDR Timothy Ferree Branch Head, Aviation Enlisted Assignments NAVPERSCOM, PERS-404 p404@persnet.navy.mil	COMM: (901) 874-3691 DSN: 882-3691 FAX: (901) 874-2642
LCDR Gordon Lawry Aviation Department Head NAVMAC, 30 raymond.lawry@navmac.navy.mil	COMM: (901) 874-6218 DSN: 882-6218 FAX: (901) 874-6471
AKC Tina Jacobs NTSP Coordinator (Assistant) NAVMAC, 32 parthina.jacobs@navmac.navy.mil	COMM: (901) 874-6483 DSN: 882-6483 FAX: (901) 874-6471
CAPT Grant Ziebell CNET NTSP Coordination CNET, ETS-3 capt-grant.ziebell@cnet.navy.mil	COMM: (850) 452-4330 DSN: 922-4330 FAX: (850) 452-4853
CDR Erich Blunt Aviation Technical Training CNET, ETE-32 cdr-erich.blunt@cnet.navy.mil	COMM: (850) 452-4915 DSN: 922-4915 FAX: (850) 452-4901
LCDR Rick Lawson NTSP Manager COMOPTEVFOR, 533 lawsonr@cotg.navy.mil	COMM: (757) 444-5087 ext. 3354 DSN: 564-5087 ext. 3354 FAX: (757) 444-3820
ABCM Mike Patterson Technical Coordinator NAMTRAGRU HQ, N2212 abcm-michael.a.patterson@cnet.navy.mil	COMM: (850) 452-9708 ext. 245 DSN: 922-9708 ext. 245 FAX: (850) 452-9965
PRCM Charles Kent PR School House Director NATTC Pensacola, prcm-charles.r.kent@cnet.navy.mil	COMM: (850) 452-7223 DSN: 922-7223 FAX: (850) 452-3355

PART VII - POINTS OF CONTACT

NAME / FUNCTION / ACTIVITY, CODE / INTERNET EMAIL	TELEPHONE NUMBERS
PRC George Nichols PR School Curriculum Manager NATTC Pensacola nicholsprc@cnet.navy.mil	COMM: (850) 452-7223 DSN: 922-7223 FAX: (850) 452-3355
Mr. Brett Gardner F/A-18E/F Cockpit Mapping SME NADEP North Island, 45500 gardnerbg@navair.navy.mil	COMM: (619) 545-4760 DSN: 735-4760 FAX: (619) 545-3737
Mr. Richard Garcia Manager, Air-to-Air Weapons Requirements Whitney, Bradley, and Brown rgarcia@wbbinc.com	COMM: (703) 448-6081 ext. 146 DSN: FAX: (703) 821-6955
Mr. Bruce Kaiser Senior Engineer, Technical Training Support Systems Management Technology, Inc. bkaiser@smt-i.com	COMM: (703) 294-6448 ext. 11 DSN: FAX: (703) 294-6443
Mr. Phil Szczyglowski Competency Manager NAVAIRSYSCOM, AIR 3.4.1 szczyglowspr@navair.navy.mil	COMM: (301) 757-8280 DSN: 757-8280 FAX: (301) 342-7737
Mr. Bob Kresge NTSP Coordinator NAVAIRSYSCOM, AIR 3.4.1 kresgerj@navair.navy.mil	COMM: (301) 757-1844 DSN: 757-1844 FAX: (301) 342-7737
ADCS Steve Reed NTSP Coordinator NAVAIRSYSCOM, AIR 3.4.1 reedpj@navair.navy.mil	COMM: (301) 757-3107 DSN: 757-3107 FAX: (301) 342-7737
PRC Jeffrey Dronenburg Manpower and Training Analyst (NTSP Author) NAVAIRSYSCOM, AIR 3.4.1 dronenburgjw@navair.navy.mil	COMM: (301) 757-3041 DSN: 757-3041 FAX: (301) 342-7737